

Let *Dimplex* inspire you



Heating for generations

Fire is dangerous, we were taught as kids. Fire is warm and cosy, we learned around the campfire. Fire is magical, we feel on a winter's night, watching the flames dance. Human civilization began with taming fire. With the invention of electric fires, we have tamed it for a second time. Whether in a private apartment, a hotel lobby, a bar or a restaurant, the patented Dimplex technology creates a fire that is warm, cosy and magical – and above all safe.

Let *Dimplex* inspire you

Follow us



@dimplexfires_nl




@dimplexfiresnl

Glen Dimplex
Consumer Appliances Europe
EU Flame
Saturnus 8
8448 CC Heerenveen

PO Box 219
NL-8440 AE Heerenveen


T. +31(0)513 656500
F. +31(0)513 656501
E. info@dimplex-fires.eu



 **Dimplex**

www.dimplex-fires.eu

Let *Dimplex*
inspire you



 Dimplex

The Dimplex

vision on living

City smart

In the city we have to be flexible, efficient and sustainable in how we deal with our space and materials. This results in an increasing need for small, flexible homes. Small apartments, containers and tiny homes are good examples of this. A Dimplex fireplace is a sustainable solution and should fit anywhere, even in the smallest space.

Communities

There is an increasing number of communities, where people live together and look after each other, living for example in apartments with individual space that can be subdivided as required by means of flexible wall partitions. There is also an increasing number of spaces where residents make much more use of shared living spaces like a laundry, a roof terrace and a living area. Wherever people gather and share facilities and personal stories, fire will connect them.

The consumer as interior designer

The interior of your home says something about who you are, what you believe in and how you want to live. People are increasingly the curator of their own home, where they create their own design and layout. Inspired by social media and personalised by means of collected objects that are displayed as a showroom of your life. Old and new are combined, we want something new, but we also want to include what is good or tells a personal story.

Flexible and modular living

Important elements in a home are space and comfort, and how you can play around with them. A Dimplex fireplace can add comfort and atmosphere to the available space. Whether that space is in a stately mansion or in a small apartment, there is a solution for every home and for every room. A fireplace is not only suitable for the living room, but also adds value in your kitchen, when you are cooking for your loved ones or friends. Think of the sense of wellness provided by a fireplace when you take a luxurious bath or relax on your balcony after a long day.

The role of fire in your interior

Fire inspires, relaxes, alleviates and reduces your heart rate. Fire attracts people, stimulates contact and connects us. A cosy, comfortable fireplace gives you a sense of relaxation and well-being. Let us inspire you and add value to your interior.

Discover

the difference

ELECTRIC

COMFORTABLE

CLASSIC ROMANTIC IMPRESSIVE
COSY WARM

COOL INDIVIDUAL

FAMILIAR CALM

COSY SAFE

CLASSIC WARM

COMFORTABLE IMPRESSIVE

INDIVIDUAL ELECTRIC

COMFORTABLE

CALM COOL ROMANTIC
FAMILIAR

 Dimplex

Whatever taste or taste, it is always a Dimplex fire that suits your dreams and budget. Dimplex fireplaces are giving a real 3-D illusion of smoke and fire. Whatever your choice, with a Dimplex fire you always have a warm and closing atmosphere maker in every house. Read more about hiding patented Dimplex firesystems



Optiflame®

A fire with Optiflame® technology shows calming flames above the lit fire bed, resulting from a soft light reflected in a large number of moving mirrors. Depending on style and mood, the colours of the flame and fire bed can easily be adjusted in some models. Very contemporary! Furthermore, the fire bed of some models can be decorated entirely to your own taste, using materials other than the ones supplied. This means you can personalise your fireplace to suit your own interior design.

Optimyst®

Fire from water. The “fire” in a fireplace with Optimyst® technology consists of unique flame patterns and water mist, moving along freely in the surrounding air. The captivating effect is the result of a combination of energy efficient lighting and safe water mist. This water mist contributes to a good humidity level in your home.



Opti-V® – (Opti-Virtual)

Very lively and intensely glowing flames, with sparks that occasionally fly from the sturdy wood blocks. Opti-V® fire technology consists of a sophisticated combination of HDTV, energy efficient LED technology and a realistic fireplace interior. The calming sound of the crackling fire is a standard feature of all the Opti-V® models.

Revillusion®

Revillusion is our latest flame technology and a new milestone in electric fire. The brick interior gives a unique broad view of life-like flames. These flames rise up without reflection from the life-like, sparkling, glowing wood feature in the centre of the fireplace. The colour and intensity of the light can be adjusted in many different ways with the easy-to-operate remote control. The light view can be adjusted precisely to the required atmosphere, the style and the surrounding light.





 **Dimplex**

Characteristics



Heat function

The fireplace is equipped with a heat function which can be used as an additional heater. It depends on the specific fireplace if it has one or two heat settings.



Cool Blow Function

This function will circulate the air to provide some cooling air flow which is comparable to a ventilator.



Adjustable brightness

The brightness of the firebox can be set in different levels to adjust to the desired ambience. It depends on the fireplace, of how many steps of brightness you can choose from.



Sleep-timer (8 hours)

The sleep timer can be set in 0.5 hr increments from 0.5 hr up to max 8.0 hr. The device will then turn off automatically after the pre-set time.

Let *Dimplex*
inspire you

CASSETTES

Cassette 250

Optimyst®

The Cassette 250 is the smallest of the Dimplex Cassettes Series. Yet, it offers the same, revolutionary Optimyst® fire and smoke effect, with free floating flames, made of cold water vapour and LED light: safe to reach out and touch, and with a truly three dimensional fire effect. Surprisingly easy to install as well, in nearly any space or furniture object, only requiring a socket and a periodic water refill. In a table or cabinet or on a pedestal? Just let your imagination run free, and enjoy watching this great little fire!

USP's


- Due to its small size it can be placed in almost any place in the home
- Ideal for installation in furniture, worktops and other creative and decorative purposes
- Easy refillable water tank, one fill lasts for about 5-6 hours of fire effect
- Atmospheric, comfortable and user-friendly
- Log set available as an accessory



Article number: 210388 | EAN Code: 5011139210388 | Optimyst®

 **Dimplex**

Disclaimer
We have compiled this publication with the utmost care. The information in this publication can be shown inaccurately, may have been changed or supplemented. This publication can be changed. Glen Dimplex is not responsible for the action taken, decisions of results based solely on the information contained in this publication.



All cassettes must have adequate ventilation for an optimal fire experience.
For advice, read the manuals or visit the website www.dimplex-fires.eu

		Cassette 250
General specifications	Fire system	Optimyst®
	Article number	210388
	EAN code	5011139210388
	Model	Cassette series
	View of the fire	4 sided
	Colour	White
	Decoration / fuel bed	Metal plate
Product size	Measurements view of the fire (WxH)	22 x 20 cm
	Outside dimensions WxHxD	27 x 14,5 x 27 cm
Features	Heat output	No
	Thermostat	No
	Remote control	Yes
	Manual controlling directly at the fireplace possible yes / no	Yes
	Light module	LED
	Sound module	No
	Colour effects settings	No
Power consumption	Heat setting 1 in W	-
	Heat setting 2 in W	-
	Flame only operation in W	64 W
	Max. consumption	64 W
Voltage	Voltage/Electrical frequency	230V/50Hz
Specifications	Product weight in kg	2,8
	Length of the cord	1,5 m
	Warranty	2 year

Cassette 400/600 LED

Optimyst®

The Cassette 400/600 inset fire unit not only surprises with its free floating flame and smoke effect, its modest size and variable flame intensity make it highly suitable for 'endlessly' creative interior solutions: placed as a single unit in a table or inside a gas or wood fireplace, or as a line of fire by simply putting several units alongside each other. The only connection you need is 230V. Just fill the reservoir with fresh water and click on the remote for hours of cozy ambiance, over and over again.

USP's


- Ideal for creative projects, to be installed in furniture or used for other decorative purposes
- Easy-fill water tank, offers around 8-10 hours of continuous operation before refilling is required
- View of the fire from 4 sides
- Newly developed with LED lights for lower power consumption with a longer service life
- Log set available as an accessory



Article number: 210791 | EAN Code: 5011139210791 | Optimyst®

 **Dimplex**

Disclaimer
We have compiled this publication with the utmost care. The information in this publication can be shown inaccurately, may have been changed or supplemented. This publication can be changed. Glen Dimplex is not responsible for the action taken, decisions of results based solely on the information contained in this publication.



	'A' mm
CAS400/600	407

All cassettes must have adequate ventilation for an optimal fire experience.
For advice, read the manuals or visit the website www.dimplex-fires.eu

	Cassette 400/600 LED	
General specifications	Fire system	Optimyst®
	Article number	210791
	EAN code	5011139210791
	Model	Cassette series
	View of the fire	4 sided
	Colour	White
	Decoration / fuel bed	Metal plate (optional with log set)
Product size	Measurements view of the fire (WxH)	38 x 20 cm
	Outside dimensions WxHxD	41 x 18 x 22 cm
Features	Heat output	No
	Thermostat	-
	Remote control	Yes
	Manual controlling directly at the fireplace possible yes / no	Yes
	Light module	LED
	Sound module	-
	Colour effects settings	-
Power consumption	Heat setting 1 in W	-
	Heat setting 2 in W	-
	Flame only operation in W	125W
	Max. consumption	125W
Voltage	Voltage/Electrical frequency	230V/50Hz
Specifications	Product weight in kg	5
	Length of the cord	1,5 m
	Warranty	2 year

Cassette 500 retail

Optimyst®

Picture the perfect fireplace. But forget about venting and heat, because flames are made of pure water vapour and LED light. Flames you can reach out and touch. The revolutionary Optimyst® Cassette models redefine the electric fireplace and enable you to add a dramatic fire feature to any space, with stunning realism. Ready to be combined and linked with a Cassette 1000. For that see-through, three-sided, or fully open concept you envisage - in any length, for any location. Possibilities are simply endless. The perfect opportunity to play with fire!

USP's

- Suitable for installation projects and designed to fit into a custom-made frame or fireplace
- Easy-fill water tank, offers around 8-10 hours of continuous operation before refilling is required
- Quick-fit IEC (kettle) connection for an individual fireplace of any length
- Crackling logs sound effects with adjustable volume
- Log set available as an accessory




The Cassette 500 is delivered without a log set.



Article number: 210654 | EAN Code: 5011139210654 | Optimyst®

 **Dimplex**

Disclaimer
We have compiled this publication with the utmost care. The information in this publication can be shown inaccurately, may have been changed or supplemented. This publication can be changed. Glen Dimplex is not responsible for the action taken, decisions of results based solely on the information contained in this publication.



MODEL	DIM 'A'
CAS500	508mm
CAS1000	1017mm



All cassettes must have adequate ventilation for an optimal fire experience.
For advice, read the manuals or visit the website www.dimplex-fires.eu

		Cassette 500 retail
General specifications	Fire system	Optimyst®
	Article number	210654
	EAN code	5011139210654
	Model	Cassette series
	View of the fire	4 sided
	Colour	Black
	Decoration / fuel bed	Metal plate (optional LED log set available)
Product size	Measurements view of the fire (WxH)	49 x 20 cm
	Outside dimensions WxHxD	51 x 30 x 20 cm
Features	Heat output	No
	Thermostat	No
	Remote control	Yes
	Manual controlling directly at the fireplace possible yes / no	Yes
	Light module	LED
	Sound module	Yes
	Colour effects settings	No
Power consumption	Heat setting 1 in W	
	Heat setting 2 in W	-
	Flame only operation in W	220W
	Max. consumption	220W
Voltage	Voltage/Electrical frequency	230V/50Hz
Specifications	Product weight in kg	9
	Length of the cord	1,5 m
	Warranty	2 year

Cassette 1000 retail

Optimyst®

Picture the perfect fireplace. But forget about venting and heat, because flames are made of pure water vapour and LED light. Flames you can reach out and touch. The revolutionary Optimyst® Cassette models redefine the electric fireplace and enable you to add a dramatic fire feature to any space, with stunning realism. Ready to be combined and linked with a Cassette 500. For that see-through, three-sided, or fully open concept you envisage - in any length, for any location. Possibilities are simply endless. The perfect opportunity to play with fire!


USP's

- Suitable for installation projects and designed to fit into a custom-made frame or fireplace
- Easy-fill water tank, offers around 8-10 hours of continuous operation before refilling is required
- Quick-fit IEC (kettle) connection for an individual fireplace of any length
- Crackling logs sound effects with adjustable volume
- Log set available as an accessory





The Cassette 1000 is delivered without a log set

Article number: 210661 | EAN Code: 5011139210661 | Optimyst®



MODEL	DIM 'A'
CAS500	508mm
CAS1000	1017mm



All cassettes must have adequate ventilation for an optimal fire experience.
For advice, read the manuals or visit the website www.dimplex-fires.eu

		Cassette 1000 retail
General specifications	Fire system	Optimyst®
	Article number	210661
	EAN code	5011139210661
	Model	Cassette series
	View of the fire	4 sided
	Colour	Black
	Decoration / fuel bed	Metal plate (optional LED log set available, 2x log set 500)
Product size	Measurements view of the fire (WxH)	99 x 20 cm
	Outside dimensions WxHxD	101 x 30 x 20 cm
Features	Heat output	No
	Thermostat	No
	Remote control	Yes
	Manual controlling directly at the fireplace possible yes / no	Yes
	Light module	LED
	Sound module	Yes
	Colour effects settings	No
Power consumption	Heat setting 1 in W	
	Heat setting 2 in W	-
	Flame only operation in W	450W
	Max. consumption	450W
Voltage	Voltage/Electrical frequency	230V/50Hz
Specifications	Product weight in kg	17,5
	Length of the cord	1,5 m
	Warranty	2 year

Cassette 500 projects

Optimyst®

Picture the perfect fireplace. But forget about venting and heat, because flames are made of pure water vapour and LED light. Flames you can reach out and touch. The revolutionary Optimyst® Cassette models redefine the electric fireplace and enable you to add a dramatic fire feature to any space, with stunning realism. This Projects version even lacks the need of a periodic water refill, thanks to its permanent water connection. Ready to be combined and linked with a Cassette 1000 Projects. For that see-through, three-sided, or fully open concept you envisage - in any length, for any location. Possibilities are simply endless. The perfect opportunity to play with fire!

USP's

- Suitable for installation projects and designed to fit into a custom-made frame or fireplace
- Connects to a main water supply, no manual refill needed
- Quick-fit IEC (kettle) connection for an individual fireplace of any length
- Crackling logs sound effects with adjustable volume
- Log set available as an accessory




The Cassette 500 is delivered without a log set

Article number: 211439 | EAN Code: 5011139211439 | Optimyst®

 **Dimplex**

Disclaimer
We have compiled this publication with the utmost care. The information in this publication can be shown inaccurately, may have been changed or supplemented. This publication can be changed. Glen Dimplex is not responsible for the action taken, decisions of results based solely on the information contained in this publication.



All cassettes must have adequate ventilation for an optimal fire experience. For advice, read the manuals or visit the website www.dimplex-fires.eu

		Cassette 500 projects
General specifications	Fire system	Optimyst®
	Article number	211439
	EAN code	5011139211439
	Model	Cassette series
	View of the fire	4 sided
	Colour	Black
	Decoration / fuel bed	Metal plate (optional LED log set)
Product size	Measurements view of the fire (WxH)	49 x 20 cm
	Outside dimensions WxHxD	51 x 30 x 20 cm
Features	Heat output	No
	Thermostat	-
	Remote control	Yes
	Manual controlling directly at the fireplace possible yes / no	Yes
	Light module	LED
	Sound module	Yes
	Colour effects settings	-
Power consumption	Heat setting 1 in W	-
	Heat setting 2 in W	-
	Flame only operation in W	220W
	Max. consumption	220W
Voltage	Voltage/Electrical frequency	230V/50Hz
Specifications	Product weight in kg	9
	Length of the cord	1,5 m
	Warranty	2 year

Cassette 1000 projects

Optimyst®

Picture the perfect fireplace. But forget about venting and heat, because flames are made of pure water vapour and LED light. Flames you can reach out and touch. The revolutionary Optimyst® Cassette models redefine the electric fireplace and enable you to add a dramatic fire feature to any space, with stunning realism. This Projects version even lacks the need of a periodic water refill, thanks to its permanent water connection. Ready to be combined and linked with a Cassette 500 Projects. For that see-through, three-sided, or fully open concept you envisage - in any length, for any location. Possibilities are simply endless. The perfect opportunity to play with fire!

USP's

- Suitable for installation projects and designed to fit into a custom-made frame or fireplace
- Connects to a main water supply, no manual refill needed
- Quick-fit IEC (kettle) connection for an individual fireplace of any length
- Crackling logs sound effects with adjustable volume
- Log set available as an accessory




The Cassette 1000 is delivered without a log set

Article number: 211446 | EAN Code: 5011139211446 | Optimyst®

 **Dimplex**

Disclaimer
We have compiled this publication with the utmost care. The information in this publication can be shown inaccurately, may have been changed or supplemented. This publication can be changed. Glen Dimplex is not responsible for the action taken, decisions of results based solely on the information contained in this publication.



All cassettes must have adequate ventilation for an optimal fire experience. For advice, read the manuals or visit the website www.dimplex-fires.eu

		Cassette 1000 projects
General specifications	Fire system	Optimyst®
	Article number	211446
	EAN code	5011139211446
	Model	Cassette series
	View of the fire	4 sided
	Colour	Black
	Decoration / fuel bed	Metal plate (optional LED log set available, 2x log set 500)
Product size	Measurements view of the fire (WxH)	99 x 20 cm
	Outside dimensions WxHxD	101 x 30 x 20 cm
Features	Heat output	No
	Thermostat	-
	Remote control	Yes
	Manual controlling directly at the fireplace possible yes / no	Yes
	Light module	LED
	Sound module	Yes
	Colour effects settings	-
Power consumption	Heat setting 1 in W	-
	Heat setting 2 in W	-
	Flame only operation in W	450W
	Max. consumption	450W
Voltage	Voltage/Electrical frequency	230V/50Hz
Specifications	Product weight in kg	17,5
	Length of the cord	1,5 m
	Warranty	2 year

Cassette L pebbles

Optimyst®

The Cassette L Pebbles is part of the Dimplex Cassette range, known for its unique, free floating flame and smoke effect, but now supplied with a decoration of white pebble stones. Easy to install in bespoke interior projects, only a normal electric socket is required. The flames are made of cold water vapor and light, which is safe, fume free and has a hugely decorative effect over the stones. Its water reservoir can be refilled from the front, which is very practical for frequent use.

USP's


- Suitable for installation projects and designed to fit into a custom-made frame or fireplace
- Easy-fill water tank, offers around 8-10 hours of continuous operation before refilling is required
- The water tank is very easy accessible through a drawer in the front
- View of the fire from 4 sides
- Decorated with white pebbles (included)



Article number: 202789 | EAN Code: 5011139202789 | Optimyst®

 **Dimplex**

Disclaimer
We have compiled this publication with the utmost care. The information in this publication can be shown inaccurately, may have been changed or supplemented. This publication can be changed. Glen Dimplex is not responsible for the action taken, decisions of results based solely on the information contained in this publication.



All cassettes must have adequate ventilation for an optimal fire experience.
For advice, read the manuals or visit the website www.dimplex-fires.eu

		Cassette L pebbles
General specifications	Fire system	Optimyst®
	Article number	202789
	EAN code	5011139202789
	Model	Cassette series
	View of the fire	4 sided
	Colour	Black
	Decoration / fuel bed	Pebbles white
Product size	Measurements view of the fire (WxH)	51 x 20 cm
	Outside dimensions WxHxD	72 x 35,6 x 20 cm
Features	Heat output	No
	Thermostat	No
	Remote control	Yes
	Manual controlling directly at the fireplace possible yes / no	Yes
	Light module	Halogen
	Sound module	No
	Colour effects settings	No
Power consumption	Heat setting 1 in W	-
	Heat setting 2 in W	-
	Flame only operation in W	400W
	Max. consumption	400W
Voltage	Voltage/Electrical frequency	230V/50Hz
Specifications	Product weight in kg	22
	Length of the cord	1,5 m
	Warranty	2 year

Juneau

Optimyst®

The Juneau is an electric inset fireplace unit, ready to be installed into nearly any interior space or indoor object, including inactive gas or wood fireplaces. The three-dimensional Optimyst® fire image comes from cold water vapor and light, which is startlingly realistic, can be seen from all sides, and is safe to touch. A practical detail: the water reservoir can be refilled from the front, without removing its glowing log set. In a few words: the Juneau is a perfect basis for great fireplace projects. Available in two sizes.

USP's Juneau

- Suitable for installation projects and designed to fit into a custom-made frame or fireplace
- Easy-fill water tank, offers around 8-10 hours of continuous operation before refilling is required
- The water tank is very easy accessible through a drawer in the front
- View of the fire from 4 sides
- Log set included



Juneau

202086 / 5011139202086




Juneau XL


202666 / 5011139202666



Juneau



Juneau XL



		Juneau	Juneau XL
General specifications	Fire system	Optimyst®	Optimyst®
	Article number	202086	202666
	EAN code	5011139202086	5011139202666
	Model	Built-in unit	Built-in unit
	View of the fire	4 sided	4 sided
	Colour	Black	Black
	Decoration / fuel bed	LED log set	Log set
Product size	Measurements view of the fire (WxH)	32 x 20 cm	51 x 20 cm
	Outside dimensions WxHxD	56,7 x 30 x 26 cm	72 x 35 x 33 cm
Features	Heat output	No	No
	Thermostat	No	No
	Remote control	Yes	Yes
	Manual controlling directly at the fireplace possible yes / no	Yes	Yes
	Light module	Halogen	Halogen
	Sound module	No	No
	Colour effects settings	No	No
Power consumption	Heat setting 1 in W	-	-
	Heat setting 2 in W	-	-
	Flame only operation in W	250W	400W
	Max. consumption	250W	400W
Voltage	Voltage/Electrical frequency	230V/50Hz	230V/50Hz
Specifications	Product weight in kg	15	22
	Length of the cord	1,5 m	1,5 m
	Warranty	2 year	2 year

Let *Dimplex*
inspire you

BUILT-IN

BUILT-IN



Vivente

Revillusion®




The latest of Dimplex's electric fires with Optiflame® technology can be experienced in the luxurious and all new Vivente models. First of all by its renewed and improved flame effect over realistically glowing logs. Also, there is a choice of ambient light colors to suit your style, plus no less than 4 different back panels to match with most interiors. Smart operation and heating features make it more easy than ever to enjoy the best of this fireplace at any moment of the day or year. All of which can be controlled over a premium remote control. Available in 3 sizes, in front-, 2- or 3 sided layout.

USP's

- Comes with four fire liner backings giving the opportunity to pick the perfect fire: Black Vermiculite Tile Effect, Black Metallic Ribs, Smooth Metallic Black and Rugged Stone Cladding
- SmartSense: Built for convenience this technology detects when the room is occupied and automatically switches the flame effect on in the evening, while it also switches the product off when it detects an empty room to save energy
- ComfortSaver: With up to an 11% energy saving over traditional heating systems. It adjusts to maintain a precise room temperature, resulting in lower running costs and a more comfortable room temperature
- With HD anti-reflective glass and real flame crackling sounds





Drawing shows Vivente150

		Vivente 75	Vivente 100	Vivente 150
General specifications	Fire system	Revillusion®	Revillusion®	Revillusion®
	Article number	211682	211712	211743
	EAN code	5011139211682	5011139211712	5011139211743
	Model	Model for Built-in unit	Model for Built-in unit	Model for Built-in unit
	View of the fire	1-, 2-, or 3-sided	1-, 2-, or 3-sided	1-, 2-, or 3-sided
	Colour	Black	Black	Black
	Decoration / fuel bed	LED log set	LED log set	LED log set
Product size	Measurements view of the fire (WxH)	75 x 34 cm	100 x 34 cm	150 x 34 cm
	Outside dimensions WxHxD	74 x 66,5 x 30,7 cm	104 x 66,5 x 30,7 cm	154 x 66,5 x 30,7 cm
Features	Heat output	1500W	1500W	1500W
	Thermostat	Yes	Yes	Yes
	Remote control	Yes	Yes	Yes
	Manual controlling directly at the fireplace possible yes/no	Only flame effect	Only flame effect	Only flame effect
	Light module	LED	LED	LED
	Sound module	Yes	Yes	Yes
	Colour effects settings	Yes	Yes	Yes
Power consumption	Heat setting 1 in W	1500W	1500W	1500W
	Heat setting 2 in W	-	-	-
	Flame only operation in W	20W	28W	40W
	Max. consumption	1500W	1500W	1500W
Voltage	Voltage/Electrical frequency	230V/50Hz	230V/50Hz	230V/50Hz
Specifications	Product weight in kg	38	45	60
	Length of the cord	1,5 m	1,5 m	1,5 m
	Warranty	2 year	2 year	2 year

Firebox 25"/30"

Optiflame®



A modern fireplace insert with great options to enjoy it every hour of the day, all year round, with the lively and safe Optiflame® electric log fire. Ideal to install in a custom fireplace, wall or even to breathe new life into your existing gas or wood-burning fireplace. And easy to operate with the remote control. To create a fireplace that delights both your interior and yourself.




DF2550 - 25" firebox
208323 / 5011139208323




DF3020 - 30" firebox
208286 / 5011139208286

DF2550 - 25" firebox



DF3020 - 30" firebox



	DF2550 - 25" firebox	DF3020 - 30" firebox	
General specifications	Fire system	Optiflame®	Optiflame®
	Article number	208323	208286
	EAN code	5011139208323	5011139208286
	Model	Firebox	Firebox
	View of the fire	1 sided	1 sided
	Colour	Black	Back panel effect with stone motif
	Decoration / fuel bed	Log set	LED log set
Product size	Measurements view of the fire (WxH)	57 x 28 cm	74x 52 cm
	Outside dimensions WxHxD	66 x 47 x 23,2 cm	80,2 x 67,8 x 27,2 cm
Features	Heat output	Yes	Yes
	Thermostat	Yes	Yes
	Remote control	Yes	Yes
	Manual controlling directly at the fireplace possible yes / no	Flame control only	Yes, only flame and effects
	Light module	LED	LED
	Sound module	No	No
Colour effects settings	No	No	
Power consumption	Heat setting 1 in W	500W	1000W
	Heat setting 2 in W	1000W	2000W
	Flame only operation in W	8W	17W
	Max. consumption	1000W	2000W
Voltage	Voltage/Electrical frequency	230V/50Hz	230V/50Hz
Specifications	Product weight in kg	15,3	22,8
	Length of the cord	1,5 m	1,5 m
	Warranty	2 year	2 year

XHD Electric firebox

Optiflame®



The Dimplex Firebox is an electric inset fireplace, which can be built into a wall or a bespoke surround. Several extra qualities make the XHD models stand out. Its frameless housing offers maximum view on the flames, the movement speed of the flames is adjustable and the special glow bed has several color themes, customizable to fit your taste and style. The digital thermostat of the built-in heater ensures that the temperature is pleasantly easy to control. The Firebox XHD is available in different sizes.



23" Firebox - XHD23
210951 / 5011139210951






26" Firebox - XHD26
210975 / 5011139210975



28" Firebox - XHD28
211002 / 5011139211002



23" Firebox - XHD23

26" Firebox - XHD26

28" Firebox - XHD28


		23" Firebox - XHD23	26" Firebox - XHD26	28" Firebox - XHD28
General specifications	Fire system	Optiflame®	Optiflame®	Optiflame®
	Article number	210951	210975	211002
	EAN code	5011139210951	5011139210975	5011139211002
	Model	Firebox	Firebox	Firebox
	View of the fire	1 sided	1 sided	1 sided
	Colour	Black	Black	Black
	Decoration / fuel bed	LED log set	LED log set	LED log set
Product size	Measurements view of the fire (WxH)	52 x 42 cm	60 x 38 cm	62 x 48 cm
	Outside dimensions WxHxD	58,4 x 51,9 x 19 cm	66 x 47,9 x 19cm	65,2 x 59,6 x 19 cm
Features	Heat output	Yes	Yes	Yes
	Thermostat	Yes	Yes	Yes
	Remote control	Yes	Yes	Yes
	Manual controlling directly at the fireplace possible yes / no	Yes, only flame and effects	Yes, only flame and effects	Yes, only flame and effects
	Light module	LED	LED	LED
	Sound module	No	No	No
	Colour effects settings	Yes, flames can be adjusted to more blue, red or orange color.	Yes, flames can be adjusted to more blue, red or orange color.	Yes, flames can be adjusted to more blue, red or orange color.
Power consumption	Heat setting 1 in W	1400W	1400W	1400W
	Heat setting 2 in W	-	-	-
	Flame only operation in W	7W	7W	7W
	Max. consumption	1400W	1400W	1400W
Voltage	Voltage/Electrical frequency	230V/50Hz	230V/50Hz	230V
Specifications	Product weight in kg	12	11	14,5
	Length of the cord	1,5 m	1,5 m	1,5 m
	Warranty	2 year	2 year	2 year

Firebox 30"/36"

Revillusion®



Imagine your own grand fireplace with the typical advantages of electric. This can be established with a Revillusion® Firebox, Dimplex's newest milestone in modern electric flame technology. This ready-to-install solution embodies a highly realistic log set with lively glow effect, flames moving upwards from the middle, in front of a decorative back panel. A range of ambient light options with a choice of colors, plus a heater, enable you to set your fireplace to any moment, interior style or mood. Available as Revillusion 30 or larger 36 model.

USP's

- Easy installation in the wall or in furniture
- Revillusion® flame technology provides a personally adjustable fire image with surprising depth effect
- Mirage Flame panel - partially frosted acrylic panel which works better than a mirror, showing only lifelike flames and no reflections
- Adds additional atmosphere with custom atmospheric lighting and colour enhancement




Revillusion firebox 30"
210357 / 5011139210357




Revillusion firebox 30" concrete
211842 / 5011139211842




Revillusion firebox 36"
210364 / 5011139210364



Rough-In Framing Dimensions



Firebox Dimensions



	RBF30	RBF36
A	12 1/2" (318 mm)	12 1/2" (318 mm)
B	30 5/8" (778 mm)	36 5/8" (930 mm)
C	26 3/16" (665 mm)	26 3/16" (665 mm)
D	25 3/4" (654 mm)	25 3/4" (654 mm)
E	12" (306 mm)	12" (306 mm)
F	29 3/8" (746 mm)	35 3/8" (898 mm)
G	31 1/8" (792 mm)	37 1/8" (944 mm)
H	22 3/4" (578 mm)	22 3/4" (578 mm)
I	26 5/8" (676 mm)	26 5/8" (674 mm)
J	54 1/4" (1378 mm)	60" (1524 mm)
K	38 1/2" (978 mm)	42 1/2" (1080 mm)
L	38 1/2" (978 mm)	42 1/2" (1080 mm)

		Revillusion firebox 30"	Revillusion firebox 30" concrete	Revillusion firebox 36"
General specifications	Fire system	Revillusion®	Revillusion®	Revillusion®
	Article number	210357	211842	210364
	EAN code	5011139210357	5011139211842	5011139210364
	Model	Firebox	Firebox	Firebox
	View of the fire	1 sided	1 sided	1 sided
	Colour	Black	Black	Black
	Decoration / fuel bed	LED log set incl. color option	LED log set incl. color option	LED log set incl. color option
Product size	Measurements view of the fire (WxH)	75 x 58 cm	75 x 58 cm	89 x 58 cm
	Outside dimensions WxHxD	79,2 x 67,6 x 30,7 cm	79,2 x 67,6 x 30,7 cm	94,4 x 67,6 x 30,7 cm
Features	Heat output	Yes	Yes	Yes
	Thermostat	Yes	Yes	Yes
	Remote control	Yes	Yes	Yes
	Manual controlling directly at the fireplace possible yes / no	Yes, only flame and effects	Yes, only flame and effects	Yes, only flame and effects
	Light module	LED	LED	LED
	Sound module	No	No	No
	Colour effects settings	Fire bed in blue / red tones	Fire bed in blue / red tones	Fire bed in blue / red tones
Power consumption	Heat setting 1 in W	2000W	2000W	2000W
	Heat setting 2 in W	-	-	-
	Flame only operation in W	15W	15W	19W
	Max. consumption	2000W	2000W	2000W
Voltage	Voltage/Electrical frequency	230V/50Hz	230V/50Hz	230V/50Hz
Specifications	Product weight in kg	22,7	22,7	27,2
	Length of the cord	1,5 m	1,5 m	1,5 m
	Warranty	2 year	2 year	2 year

Engine 56-400

Optimyst®



A quality fireplace inside a wall or surround, exactly where you want it and finished to your personal taste? This can become real with a Dimplex Engine, an electric inset fire with the unrivalled Optimyst® flame effect plus the comfort of a thermostatic heater. Ready to welcome you with a cozy atmosphere at any moment, thanks to its 24/7 timer. And due to its remarkably compact size, the Engine 56-400 fits in where most fireplaces don't.

USP's

- Insert fireplace designed to fit into a custom-made frame or fireplace
- Easy-fill water tank, offers around 8-10 hours of continuous operation before refilling is required
- Enjoy the ambiance of the flames with or without the heater for all year round comfort
- 24/7 timer ensures a high flexibility, each day of the week can be set individually
- Optional: mirror back panel for an even more intense fire experience




To order: Mirror back wall for ENGINE 56-400

Article number: 210234 | EAN Code: 5011139210234 | Optimyst®

 **Dimplex**

Disclaimer
We have compiled this publication with the utmost care. The information in this publication can be shown inaccurately, may have been changed or supplemented. This publication can be changed. Glen Dimplex is not responsible for the action taken, decisions of results based solely on the information contained in this publication.



MODEL	'H'	'W'	'X'	'Y'
ENG56-400	700mm	490mm	413mm	395mm
ENG68-400	823mm	490mm	413mm	517mm
ENG56-600	700mm	646mm	569mm	395mm

		Engine 56-400
General specifications	Fire system	Optimyst®
	Article number	210234
	EAN code	5011139210234
	Model	Built-in unit
	View of the fire	1 sided
	Colour	Black back panel (option: Mirror back wall)
	Decoration / fuel bed	Log set
Product size	Measurements view of the fire (WxH)	41 x 38 cm
	Outside dimensions WxHxD	49 x 70 x 25,5 cm
Features	Heat output	Yes
	Thermostat	Yes
	Remote control	Yes
	Manual controlling directly at the fireplace possible yes / no	Yes, flame effect on / off
	Light module	Halogen
	Sound module	No
	Colour effects settings	No
Power consumption	Heat setting 1 in W	1000W
	Heat setting 2 in W	2000W
	Flame only operation in W	200W
	Max. consumption	2000W
Voltage	Voltage/Electrical frequency	230V/50Hz
Specifications	Product weight in kg	15
	Length of the cord	1,5 m
	Warranty	2 year

Engine 56-600

Optimyst®



A quality fireplace for in a wall or frame, exactly where you want it and finished to your personal taste? This can become a reality with a Dimplex Engine, an electric fireplace insert with the Optimyst® flame effect plus the comfort of a thermostatic heater. Ready to welcome you with a cozy atmosphere at any time thanks to the 24/7 timer. And because of its remarkably compact size, the Engine 56-600 fits in many places where other fireplaces do not fit.

USP's

- Insert fireplace with a modern and elegant appearance
- Easy-fill water tank, offers around 8-10 hours of continuous operation before refilling is required
- 24/7 timer ensures a high flexibility, each day of the week can be set individually




Engine 56-600 MB
Mirror back panel
210227 / 5011139210227



Engine 56-600 B
Back panel stone motif
210210 / 5011139210210





MODEL	'H'	'W'	'X'	'Y'
ENG56-400	700mm	490mm	413mm	395mm
ENG68-400	823mm	490mm	413mm	517mm
ENG56-600	700mm	646mm	569mm	395mm

	Engine 56-600 MB	Engine 56-600 B	
General specifications	Fire system	Optimyst®	Optimyst®
	Article number	210227	210210
	EAN code	5011139210227	5011139210210
	Model	Built-in unit	Built-in unit
	View of the fire	1 sided	1 sided
	Colour	Mirror back wall	Stone motif back wall
	Decoration / fuel bed	Log set	Log set
Product size	Measurements view of the fire (WxH)	56 x 40 cm	56 x 40 cm
	Outside dimensions WxHxD	65 x 70 x 25,5 cm	65 x 70 x 25,5 cm
Features	Heat output	Yes	Yes
	Thermostat	Yes	Yes
	Remote control	Yes	Yes
	Manual controlling directly at the fireplace possible yes / no	Yes, flame effect on / off	Yes, flame effect on / off
	Light module	Halogen	Halogen
	Sound module	No	No
	Colour effects settings	No	No
Power consumption	Heat setting 1 in W	1000W	1000W
	Heat setting 2 in W	2000W	2000W
	Flame only operation in W	200W	200W
	Max. consumption	2000W	2000W
Voltage	Voltage/Electrical frequency	230V/50Hz	230V/50Hz
Specifications	Product weight in kg	19,5	19,5
	Length of the cord	1,5 m	1,5 m
	Warranty	2 year	2 year

Engine 68-400

Optimyst®



Dimplex Engines are designed to create your quality fireplace inside a wall or surround, exactly where you want it, finished to fit your personal taste and easy to use. Not only offering the unrivalled Optimyst® flame effect but also the comfort of a thermostatic heater. Thanks to its smart 24/7 timer, it is ready to welcome you with a cozy atmosphere at any moment. The vertical shape of the Engine 68-400 allows a good view on its uprising flames. The optional black mirror back panel adds to this.

USP's

- Insert fireplace designed to fit into a custom-made frame or fireplace
- Easy-fill water tank, offers around 8-10 hours of continuous operation before refilling is required
- Enjoy the ambiance of the flames with or without the heater for all year round comfort
- 24/7 timer ensures a high flexibility, each day of the week can be set individually
- Optional: mirror back panel for an even more intense fire experience




To order: Mirror rear wall for ENGINE 56-400

Article number: 210258 | EAN Code: 5011139210258 | Optimyst®

 **Dimplex**

Disclaimer
We have compiled this publication with the utmost care. The information in this publication can be shown inaccurately, may have been changed or supplemented. This publication can be changed. Glen Dimplex is not responsible for the action taken, decisions of results based solely on the information contained in this publication.



MODEL	'H'	'W'	'X'	'Y'
ENG56-400	700mm	490mm	413mm	395mm
ENG68-400	823mm	490mm	413mm	517mm
ENG56-600	700mm	646mm	569mm	395mm

		Engine 68-400
General specifications	Fire system	Optimyst®
	Article number	210258
	EAN code	5011139210258
	Model	Built-in unit
	View of the fire	1 sided
	Colour	Black achterpaneel (option: Back wall mirror)
	Decoration / fuel bed	Log set
Product size	Measurements view of the fire (WxH)	41 x 50 cm
	Outside dimensions WxHxD	49 x 82,5 x 25,5 cm
Features	Heat output	Yes
	Thermostat	Yes
	Remote control	Yes
	Manual controlling directly at the fireplace possible yes / no	Yes, flame effect on / off
	Light module	Halogen
	Sound module	No
	Colour effects settings	No
Power consumption	Heat setting 1 in W	1000W
	Heat setting 2 in W	2000W
	Flame only operation in W	200W
	Max. consumption	2000W
Voltage	Voltage/Electrical frequency	230V/50Hz
Specifications	Product weight in kg	16,2
	Length of the cord	1,5 m
	Warranty	2 year

Opti-V single/double



Opti-Virtual

A modern, wall-hung fireplace housing the uniquely complete and intense Opti-Virtual® fire experience, developed by Dimplex. With ultra-realistic flickering flame effect, sparks jumping from glowing logs and the crackle of a wood fire, yet electric and therefore completely safe and maintenance free, making it a great addition to both commercial and private environments. Available in two sizes.

USP's

- Blended 3D technology creates dazzling flames
- Ultra realistic log set with inner glowing LED lights
- Sporadic sparking effect adds additional realism
- Built-in crackle sound for an authentic experience
- Heatless flame lets you enjoy fire ambiance all year round



Opti-V single

Opti-V double


		Opti-V single	Opti-V double
General specifications	Fire system	Opti-Virtual®	Opti-Virtual®
	Article number	204912	204929
	EAN code	5011139204912	5011139204929
	Model	Built-in unit	Built-in unit
	View of the fire	1 sided	1 sided
	Colour	Black	Black
	Decoration / fuel bed	Log set	Log set
Product size	Measurements view of the fire (WxH)	69 x 24 cm	131 x 24 cm
	Outside dimensions WxHxD	73,6 x 45 x 34,5 cm	135,6 x 45 x 34,5 cm
Features	Heat output	No	No
	Thermostat	-	-
	Remote control	Yes	Yes
	Manual controlling directly at the fireplace possible yes / no	Yes	Yes
	Light module	LED screen	LED screen
	Sound module	Yes	Yes
	Colour effects settings	-	-
Power consumption	Heat setting 1 in W	-	-
	Heat setting 2 in W	-	-
	Flame only operation in W	35W	70W
	Max. consumption	35W	70W
Voltage	Voltage/Electrical frequency	230V/50Hz	230V/50Hz
Specifications	Product weight in kg	26	46
	Length of the cord	1,5 m	1,5 m
	Warranty	2 year	2 year

Wall fire engine

Optimyst®



The Dimplex Wall fire engine is an electric fireplace insert that fits with the Nissum concrete or black L frame. It is designed to be hang onto the wall. That way, you can choose the ideal height to enjoy the flames that swirl freely in the fireplace, through the glowing logs, thanks to the Optimyst® flame effect. Feel free to adjust the flame height and the concealed heating with the supplied remote control. Available in two different sizes.

USP's

- Inset fire designed to fit into a wall mounted custom-made frame
- Suitable for the surrounds Nissum concrete and black
- Flame effect can be used independently of heat source for an all year around operation
- 24/7 timer ensures a high flexibility, each day of the week can be set individually
- The log set is included



Wall fire engine S
210180 / 5011139210180




Wall fire engine L
210203 / 5011139210203


Accessories



**Nissum concrete
S & L**
207821 (S) / 207838 (L)
5011139207821 (S)
5011139207838 (L)



**Nissum zwart
S & L**
202963 (S) / 206299 (L)
5011139202963 (S)
5011139206299 (L)



		Wall fire engine S	Wall fire engine L
General specifications	Fire system	Optimyst®	Optimyst®
	Article number	210180	210203
	EAN code	5011139210180	5011139210203
	Model	Built-in unit	Built-in unit
	View of the fire	1 sided	1 sided
	Colour	Black	Black
	Decoration / fuel bed	Log set	Log set
Product size	Measurements view of the fire (WxH)	40 x 32 cm	54 x 32 cm
	Outside dimensions WxHxD	56,4 x 64,4 x 15,7 cm	71,5 x 56,4 x 15,7 cm
Features	Heat output	Yes	Yes
	Thermostat	Yes	Yes
	Remote control	Yes	Yes
	Manual controlling directly at the fireplace possible yes / no	Yes, only flame and effects	Yes, only flame and effects
	Light module	Halogen	Halogen
	Sound module	No	No
	Colour effects settings	No	No
Power consumption	Heat setting 1 in W	1000W	1000W
	Heat setting 2 in W	2000W	2000W
	Flame only operation in W	200W	200W
	Max. consumption	2000W	2000W
Voltage	Voltage/Electrical frequency	230V/50Hz	230V/50Hz
Specifications	Product weight in kg	13,5	16,5
	Length of the cord	1,5 m	1,5 m
	Warranty	2 year	2 year

Viotta de Luxe

Optiflame®



The Dimplex Viotta Deluxe is an inset fire with a vertical shape, so that the height of the flames is beautifully visible. The fireplace does not take up much space and is easy to maintain. The design of the fireplace is timeless and therefore fits into any type of interior. The Dimplex Viotta Deluxe has the famous Optiflame® fire effect. The electric flames and heat settings are easy to set with a remote control.

USP's


- Inset fire designed to fit into a custom-made fireplace surround
- Suitable for every season as flame effect can be also operated without heat output
- Rotary thermostat for temperature control



Article number: 208231 | EAN Code: 5011139208231 | Optiflame®

 **Dimplex**

Disclaimer
We have compiled this publication with the utmost care. The information in this publication can be shown inaccurately, may have been changed or supplemented. This publication can be changed. Glen Dimplex is not responsible for the action taken, decisions of results based solely on the information contained in this publication.



		Viotta de Luxe
General specifications	Fire system	Optiflame®
	Article number	208231
	EAN code	5011139208231
	Model	Insert
	View of the fire	1 sided
	Colour	Black
	Decoration / fuel bed	Log set
Product size	Measurements view of the fire (WxH)	38 x 37 cm
	Outside dimensions WxHxD	43,3 x 54,2 x 21 cm
Features	Heat output	Yes
	Thermostat	Yes
	Remote control	Yes
	Manual controlling directly at the fireplace possible yes / no	Yes
	Light module	LED
	Sound module	No
	Colour effects settings	No
Power consumption	Heat setting 1 in W	1000W
	Heat setting 2 in W	2000W
	Flame only operation in W	10W
	Max. consumption	2000W
Voltage	Voltage/Electrical frequency	230V/50Hz
Specifications	Product weight in kg	12,5
	Length of the cord	1,5 m
	Warranty	2 year

Albany

Optimyst®




The Dimplex Albany is a versatile inset fire which can be used either fully inset or in a surround, to complement a minimalist modern decor, or add a contemporary twist to a more traditional room. Silent in operation, the Optimyst® effect flame effect is fully variable to easily create different moods and can be used independently of the heating function, ideal to create a cosy feel without overheating.

USP's

- Modern inset fire designed to be installed into a bespoke fireplace or wall
- Creates a realistic fire effect at the touch of a button
- LED log set is included
- The flame effect can also be used without the heat to enjoy the charm of the fireplace 365 days a year



Article number: 210173 | EAN Code: 5011139210173 | Optimyst®



	Albany	
General specifications	Fire system	Optimyst®
	Article number	210173
	EAN code	5011139210173
	Model	Built-in unit
	View of the fire	1 sided
	Colour	Black
	Decoration / fuel bed	LED log set
Product size	Measurements view of the fire (WxH)	57 x 42 cm
	Outside dimensions WxHxD	64 x 70,3 x 30 cm
Features	Heat output	Yes
	Thermostat	Yes
	Remote control	Yes
	Manual controlling directly at the fireplace possible yes / no	Yes, flame effect on / off
	Light module	Halogen
	Sound module	No
	Colour effects settings	No
Power consumption	Heat setting 1 in W	750W
	Heat setting 2 in W	1500W
	Flame only operation in W	240W
	Max. consumption	1500W
Voltage	Voltage/Electrical frequency	230V/50Hz
Specifications	Product weight in kg	24,5
	Length of the cord	1,5 m
	Warranty	2 year

Gala

Optimyst®


The Dimplex Gala is an electric engine which leaves room for personal design and taste. It can be installed as a central or inset fire, in tailor made surrounds or into a wall. Its fascinating three dimensional flame and smoke effect come from the Optimyst® system, which operates on 230V and plain water only. A comfortable way to enrich any home with a true hearth.

USP's

- Fireplace insert without heat output designed to be fitted with a surround
- Can be installed as 1-sided but also as a see-through fireplace
- If used as a see-through fireplace it is ideal as a room divider for individual installation
- Rotary thermostat for temperature control
- Easy refilling water system in front with drawer



Article number: 201447 | EAN Code: 5011139201447 | Optimyst®



		Gala
General specifications	Fire system	Optimyst®
	Article number	201447
	EAN code	5011139201447
	Model	Built-in unit
	View of the fire	1 or 2-sided
	Colour	Black
	Decoration / fuel bed	Log set
Product size	Measurements view of the fire (WxH)	57 x 42 cm
	Outside dimensions WxHxD	62,5 x 69,2 x 28,5 cm
Features	Heat output	No
	Thermostat	No
	Remote control	Yes
	Manual controlling directly at the fireplace possible yes / no	Yes
	Light module	Halogen
	Sound module	No
	Colour effects settings	No
Power consumption	Heat setting 1 in W	-
	Heat setting 2 in W	-
	Flame only operation in W	240W
	Max. consumption	240W
Voltage	Voltage/Electrical frequency	230V/50Hz
Specifications	Product weight in kg	24
	Length of the cord	1,5 m
	Warranty	2 year

3 Step

Optimyst®




With a choice of a three-sided, two-sided or one-sided inset, the frameless 3 Step can be installed in many ways, to make a perfect match with both your interior design and its layout. The Optimyst® fire is famous for its lively and realistic flame and smoke effect, safe without gas or dust released, and easy to use.

USP's

- Frameless insert fireplace with three-sided fire view
- Can also be installed as one-sided or two-sided
- The log set is included
- The flame effect can also be used without the heat to enjoy the charm of the fireplace 365 days a year



Article number: 210166 | EAN Code: 5011139210166 | Optimyst®



	3 Step	
General specifications	Fire system	Optimyst®
	Article number	210166
	EAN code	5011139210166
	Model	Built-in unit
	View of the fire	1,2 or 3-sided
	Colour	Black
	Decoration / fuel bed	Log set
Product size	Measurements view of the fire (WxH)	71 x 39 cm
	Outside dimensions WxHxD	73,2 x 74,9 x 35 cm
Features	Heat output	Yes
	Thermostat	Yes
	Remote control	Yes
	Manual controlling directly at the fireplace possible yes / no	Yes, only flame and effects
	Light module	Halogen
	Sound module	-
	Colour effects settings	-
Power consumption	Heat setting 1 in W	750W
	Heat setting 2 in W	1500W
	Flame only operation in W	250W
	Max. consumption	1500W
Voltage	Voltage/Electrical frequency	230V/50Hz
Specifications	Product weight in kg	30
	Length of the cord	1,5 m
	Warranty	2 year

Let *Dimplex*
inspire you

WALL-MOUNTED

WALL-MOUNTED



SP16

Optiflame®



The SP16 wall fire is nearly a meter wide, to create a big impression. With flames rising above a very realistically glowing log fuel bed, within a black surround. In addition, it features a cosy and efficient electric heater and a handy remote control. A great wall fire to install in or at any wall you'd prefer.

USP's


- Sleek and contemporary design with a black finish
- A big statement piece in your home
- Can be wall mounted and the chassis can also be inset
- Log glowing effect for lit or pulsating logs



Article number: 209863 | EAN Code: 5011139209863 | Optiflame®

 **Dimplex**

Disclaimer
We have compiled this publication with the utmost care. The information in this publication can be shown inaccurately, may have been changed or supplemented. This publication can be changed. Glen Dimplex is not responsible for the action taken, decisions of results based solely on the information contained in this publication.



		SP16
General specifications	Fire system	Optiflame®
	Article number	209863
	EAN code	5011139209863
	Model	Wall fireplace
	View of the fire	1 sided
	Colour	Black
	Decoration / fuel bed	Log set
Product size	Measurements view of the fire (WxH)	95 x 38 cm
	Outside dimensions WxHxD	120 x 52,5 x 18,2 cm
Features	Heat output	Yes
	Thermostat	Yes
	Remote control	Yes
	Manual controlling directly at the fireplace possible yes / no	Yes, only flame and effects
	Light module	LED
	Sound module	No
	Colour effects settings	No
Power consumption	Heat setting 1 in W	1000W
	Heat setting 2 in W	2000W
	Flame only operation in W	13W
	Max. consumption	2000W
Voltage	Voltage/Electrical frequency	230V/50Hz
Specifications	Product weight in kg	40,7
	Length of the cord	1,5 m
	Warranty	2 year

Toluca

Optiflame®



The Toluca wall hung fireplace enables you to enjoy a quality Dimplex fire nearly anywhere and in any interior style. Extremely easy to install in the smallest of spaces. Still, it offers the great Optiflame® fire, originally developed by Dimplex. Suit your mood even more with the multicolor fuel bed easily controlled by the remote control. For colder days, you can enjoy the warmth of its built in heat option.

USP's


- Ember bed with acrylic ice can be illuminated in 4 colors
- Elegant glass front with black border
- Digital thermostat for easy temperature control
- Intensity of the flame effect can be adjusted



Article number: 210401 | EAN Code: 5011139210401 | Optiflame®

 **Dimplex**

Disclaimer
We have compiled this publication with the utmost care. The information in this publication can be shown inaccurately, may have been changed or supplemented. This publication can be changed. Glen Dimplex is not responsible for the action taken, decisions of results based solely on the information contained in this publication.



	Toluca	
General specifications	Fire system	Optiflame®
	Article number	210401
	EAN code	5011139210401
	Model	Wall fireplace
	View of the fire	1 sided
	Colour	Black
	Decoration / fuel bed	Acrylic ice
Product size	Measurements view of the fire (WxH)	51 x 28 cm
	Outside dimensions WxHxD	82 x 54 x 15,5 cm
Features	Heat output	Yes
	Thermostat	Yes
	Remote control	Yes
	Manual controlling directly at the fireplace possible yes / no	Only flame control and effects
	Light module	LED
	Sound module	No
	Colour effects settings	Fuelbed in multiple colors
Power consumption	Heat setting 1 in W	1000W
	Heat setting 2 in W	2000W
	Flame only operation in W	10W
	Max. consumption	2000W
Voltage	Voltage/Electrical frequency	230V/50Hz
Specifications	Product weight in kg	12,5
	Length of the cord	1,5 m
	Warranty	2 year

Toluca de Luxe

Optiflame®



This even more complete version of the Toluca wall hung fireplace adds to the fun with built in BT speakers. Fine to listen to the crackling sound of a fire, also great to listen to your favourite tunes. What remains unchanged: the Toluca is a quality Dimplex fire that fits nearly any interior style and into the smallest of spaces. Still, it offers the great Optiflame® fire experience, multicolor LEDs for the interior and back light, heater and remote. Pure comfort!

USP's


- Ember bed with acrylic ice can be illuminated in 4 colors
- Indirect backlight in 4 colors
- Bluetooth speaker to stream your music or favourite radio station from your phone
- Elegant glass front with black border
- Crackling logs sound effects with adjustable volume



Article number: 210418 | EAN Code: 5011139210418 | Optiflame®

 **Dimplex**

Disclaimer
We have compiled this publication with the utmost care. The information in this publication can be shown inaccurately, may have been changed or supplemented. This publication can be changed. Glen Dimplex is not responsible for the action taken, decisions of results based solely on the information contained in this publication.



	Toluca de Luxe	
General specifications	Fire system	Optiflame®
	Article number	210418
	EAN code	5011139210418
	Model	Wall fireplace
	View of the fire	1 sided
	Colour	Black
	Decoration / fuel bed	Acrylic ice
Product size	Measurements view of the fire (WxH)	51 x 28 cm
	Outside dimensions WxHxD	82 x 54 x 15,5 cm
Features	Heat output	Yes
	Thermostat	Yes
	Remote control	Yes
	Manual controlling directly at the fireplace possible yes / no	Yes, only flame and effects
	Light module	LED
	Sound module	Yes, speaker sound via bluetooth
	Colour effects settings	Fuelbed in multiple colors
Power consumption	Heat setting 1 in W	1000W
	Heat setting 2 in W	2000W
	Flame only operation in W	10W
	Max. consumption	2000W
Voltage	Voltage/Electrical frequency	230V/50Hz
Specifications	Product weight in kg	14,5
	Length of the cord	1,5 m
	Warranty	2 year

Bach

Optiflame®



The Bach is a contemporary fire with Dimplex's rich Optiflame® fire effect. Because it can be mounted on to the wall as well, its installation is simple and doesn't require any floor space. In other words, the Bach is a simple but effective way to create a positive difference in nearly any room in your home.

USP's


- Modern design with a dark grey frame and a black front
- Designed for wall-mounted or wall inset
- The flame effect can be used independently of the heat to enjoy the charm of the fireplace 365 days a year
- Digital thermostat for easy temperature adjustment



Article number: 208361 | EAN Code: 5011139208361 | Optiflame®

 **Dimplex**

Disclaimer
We have compiled this publication with the utmost care. The information in this publication can be shown inaccurately, may have been changed or supplemented. This publication can be changed. Glen Dimplex is not responsible for the action taken, decisions of results based solely on the information contained in this publication.



		Bach
General specifications	Fire system	Optiflame®
	Article number	208361
	EAN code	5011139208361
	Model	Wall fireplace
	View of the fire	1 sided
	Colour	Black-anthracite
	Decoration / fuel bed	Log set
Product size	Measurements view of the fire (WxH)	52 x 28 cm
	Outside dimensions WxHxD	75 x 62,1 x 18,3 cm
Features	Heat output	Yes
	Thermostat	Yes
	Remote control	Yes
	Manual controlling directly at the fireplace possible yes / no	Yes, flame only
	Light module	LED
	Sound module	No
	Colour effects settings	No
Power consumption	Heat setting 1 in W	1000W
	Heat setting 2 in W	2000W
	Flame only operation in W	-
	Max. consumption	2000W
Voltage	Voltage/Electrical frequency	230V/50Hz
Specifications	Product weight in kg	20
	Length of the cord	1,5 m
	Warranty	2 year

Let *Dimplex*
inspire you

WALL INSERT

WALL INSERT

Prism 34"

Optiflame®



Like this 34" wide version, Prism linear electric fireplaces make a sparkling addition to your wall. Literally, since its flames arise from a bed of diamond-like decoration which can be illuminated in many colors, to suit your mood. With its remote control and a powerful and efficient fan-forced heater, this fireplace adds comfort and ambiance to any space. Plugged in or hard-wired, hung on the wall or built-in; the Dimplex Prism is beautifully versatile, with a choice of three different widths.

USP's

- The flame effect illuminates the diamond-like acrylic ice ember bed in different colours
- Suitable for wall-mounted or recessed installation
- Integrated display function on the glass panel
- Digital thermostat for easy temperature control
- Optional: Design frame available for the Prism 34" in black or white




Accessories



Frame for Prism 34"
Black
221136
50111392211361



Frame for Prism 34"
White
211354
5011139211354



		Prism 34"
General specifications	Fire system	Optiflame®
	Article number	208378
	EAN code	5011139208378
	Model	Linear wall fireplace; can be recessed into the wall
	View of the fire	1 sided
	Colour	Black
	Decoration / fuel bed	Fuel bed with acrylic stones
Product size	Measurements view of the fire (WxH)	79 x 27 cm
	Outside dimensions WxHxD	86,7 x 49,4 x 17,9 cm
Features	Heat output	Yes
	Thermostat	Yes
	Remote control	Yes
	Manual controlling directly at the fireplace possible yes / no	Flame control only
	Light module	LED
	Sound module	No
	Colour effects settings	Yes, fuel bed
Power consumption	Heat setting 1 in W	1100W
	Heat setting 2 in W	-
	Flame only operation in W	15W
	Max. consumption	1100W
Voltage	Voltage/Electrical frequency	230V/50Hz
Specifications	Product weight in kg	22,1
	Length of the cord	1,5 m
	Warranty	2 year

Prism 50"/74"


Optiflame®



Prism linear electric fireplaces make a sparkling addition to your wall. Literally, since its flames arise from a bed of diamond-like decoration which can be illuminated in many colors, to suit your mood. With its remote control and a powerful and efficient fan-forced heater, this fireplace adds comfort and ambiance to any space. Plugged in or hard-wired, hung on the wall or built-in; the Dimplex Prism is beautifully versatile. This electric fireplace is available in three different sizes.

USP's

- The flame effect illuminates the diamond-like acrylic ice ember bed in different colours
- Suitable for wall-mounted or recessed installation
- Integrated display function on the glass panel
- Digital thermostat for easy temperature control




Prism 50"

209900 / 5011139209900

Prism 74"

209917 / 5011139209917



		Prism 50"	Prism 74"
General specifications	Fire system	Optiflame®	Optiflame®
	Article number	209900	209917
	EAN code	5011139209900	5011139209917
	Model	Linear wall fireplace; can be recessed into the wall	Linear wall fireplace; can be recessed into the wall
	View of the fire	1 sided	1 sided
	Colour	Black	Black
	Decoration / fuel bed	Fuel bed with acrylic stones	Fuel bed with acrylic stones
Product size	Measurements view of the fire (WxH)	120 x 27 cm	180 x 27 cm
	Outside dimensions WxHxD	128 x 49,4 x 17,9 cm	188,3 x 49,4 x 17,9 cm
Features	Heat output	Yes	Yes
	Thermostat	Yes	Yes
	Remote control	Yes	Yes
	Manual controlling directly at the fireplace possible yes / no	Flame control only	Flame control only
	Light module	LED	LED
	Sound module	No	No
	Colour effects settings	Yes, fuel bed	Yes, fuel bed
Power consumption	Heat setting 1 in W	1100W	1100W
	Heat setting 2 in W	-	-
	Flame only operation in W	19W	24W
	Max. consumption	1100W	1100W
Voltage	Voltage/Electrical frequency	230V/50Hz	230V/50Hz
Specifications	Product weight in kg	32,5	47,2
	Length of the cord	1,5 m	1,5 m
	Warranty	2 year	2 year

Ignite XL 50"/74"/100"

Optiflame®



New standards to design and enjoying a fire are clearly set by the new Ignite XL series, which allow an unprecedented panoramic view of the flames. The color of the LED illuminated interior can be adjusted to suit any occasion. Its silent heater starts up pleasantly quickly through concealed vents, working intelligently and efficiently. Still, it requires little space and effort to install. A high quality series throughout.

USP's

- Edge-to-edge glass offers a flawless panoramic view of the flames from any angle
- Fuel bed decorated with reflecting acrylic stones that can be illuminated in different colours
- Fast heat up thanks to the heat-boost function and with digital thermostat for easy temperature control
- Patented ComfortSaver heating system - Eco-mode for a lower power consumption
- Driftwood available as accessory



Ignite XL 50"

210272 / 5011139210272



Ignite XL 74"

210289 / 5011139210289



Ignite XL 100"



210296 / 5011139210296

Accessory



Driftwood riverrock 50"
LF50DWS-KIT
0781052102842

Driftwood riverrock 74"
LF74DWS-KIT
0781052102859

Ignite XL 50"

Ignite XL 74"


The drawing of the Ignite XL 100 " is on www.dimplex-fires.eu

		Ignite XL 50"	Ignite XL 74"	Ignite XL 100"
General specifications	Fire system	Optiflame®	Optiflame®	Optiflame®
	Article number	210272	210289	210296
	EAN code	5011139210272	5011139210289	5011139210296
	Model	Wall construction recessed	Wall construction recessed	Wall construction recessed
	View of the fire	1 sided	1 sided	1 sided
	Colour	Black	Black	Black
	Decoration / fuel bed	Acrylic ice	Acrylic ice	Acrylic ice
Product size	Measurements view of the fire (WxH)	124 x 31 cm	186 x 31 cm	245 x 31 cm
	Outside dimensions WxHxD	130,6 x 41,9 x 14,8 cm	188,4 x 39,4 x 14,8 cm	257,6 x 41,9 x 14,8 cm
Features	Heat output	Yes	Yes	Yes
	Thermostat	Yes	Yes	Yes
	Remote control	Yes	Yes	Yes
	Manual controlling directly at the fireplace possible yes / no	Flame control only	Flame control only	Flame control only
	Light module	LED	LED	LED
	Sound module	-	-	-
	Colour effects settings	Multi-colored fuel bed	Multi-colored fuel bed	Multi-colored fuel bed
Power consumption	Heat setting 1 in W	1800W (varies per ComfortSaver option)	1800W (varies per ComfortSaver option)	1800W (varies per ComfortSaver option)
	Heat setting 2 in W	-	-	-
	Flame only operation in W	19W	27W	35W
	Max. consumption	1800W with heating in full operation	1800W with heating in full operation	1800W with heating in full operation
Voltage	Voltage/Electrical frequency	230V/50Hz	230V/50Hz	230V/50Hz
Specifications	Product weight in kg	28,7	39	54
	Length of the cord	1,5 m	1,5 m	1,5 m
	Warranty	2 year	2 year	2 year

Synergy

Optiflame®



'Wide screen' inset fire with realistic flame effect, ready to fill up your free wall space or any bespoke surround. The glass decorative set can be replaced by any dry material with a diameter of at least 6 mm, to decorate the fireplace interior in your own style. The Synergy has the unique Optiflame® technology, offering realistically colored 'flames' rising up over the decoration. A remote and thermostatic heater are at hand, adding extra comfort while enjoying the presence of this fire.

USP's


- Ember bed decorated with acrylic ice
- Suitable for wall-mounted or recessed installation
- Large 128 cm width viewing area with attractive black finish
- Enjoy the ambiance of the flame with or without the heater for year-round comfort and enjoyment



Article number: 209887 | EAN Code: 5011139209887 | Optiflame®

 **Dimplex**

Disclaimer
We have compiled this publication with the utmost care. The information in this publication can be shown inaccurately, may have been changed or supplemented. This publication can be changed. Glen Dimplex is not responsible for the action taken, decisions of results based solely on the information contained in this publication.



		Synergy
General specifications	Fire system	Optiflame®
	Article number	209887
	EAN code	5011139209887
	Model	Wall fireplace; can be recessed into the wall
	View of the fire	1 sided
	Colour	Black
	Decoration / fuel bed	Fuel bed with acrylic stones
Product size	Measurements view of the fire (WxH)	120 x 27 cm
	Outside dimensions WxHxD	128 x 49,5 x 18,1 cm
Features	Heat output	Yes
	Thermostat	Yes
	Remote control	Yes
	Manual controlling directly at the fireplace possible yes / no	Flame control only
	Light module	LED
	Sound module	No
	Colour effects settings	-
Power consumption	Heat setting 1 in W	550W
	Heat setting 2 in W	1100W
	Flame only operation in W	19W
	Max. consumption	1100W
Voltage	Voltage/Electrical frequency	230V/50Hz
Specifications	Product weight in kg	32,5
	Length of the cord	1,5 m
	Warranty	2 year

Let *Dimplex*
inspire you

FREESTANDING

FREESTANDING

Asti

Optiflame®



An electric fireplace with a white surround in a classic style. Due to its clean lines, it perfectly blends in with both, modern and traditional interiors. Asti can decorate and warm up any space - a living room, study or bedroom. The Optiflame® fire and heater can be operated by the remote.

USP's


- Classic design with a white finish
- Suitable for any interior design
- Digital thermostat for easy temperature adjustment



Article number: 111180 | EAN Code: 5011139123831 | Optiflame®

 **Dimplex**

Disclaimer
We have compiled this publication with the utmost care. The information in this publication can be shown inaccurately, may have been changed or supplemented. This publication can be changed. Glen Dimplex is not responsible for the action taken, decisions of results based solely on the information contained in this publication.



		Asti
General specifications	Fire system	Optiflame®
	Article number	111180
	EAN code	5011139123831
	Model	Freestanding fireplace
	View of the fire	1 sided
	Colour	White
	Decoration / fuel bed	Log set
Product size	Measurements view of the fire (WxH)	42 x 52 cm
	Outside dimensions WxHxD	85 x 90 x 30 cm
Features	Heat output	Yes
	Thermostat	Yes
	Remote control	Yes
	Manual controlling directly at the fireplace possible yes / no	Flame regulation
	Light module	LED
	Sound module	No
	Colour effects settings	Blue / Red
Power consumption	Heat setting 1 in W	1400 W
	Heat setting 2 in W	-
	Flame only operation in W	7 W
	Max. consumption	1400 W
Voltage	Voltage/Electrical frequency	230 V / 50 Hz
Specifications	Product weight in kg	39
	Length of the cord	1,5 m
	Warranty	2 year

Avalone

Optiflame®



The sleek finish and simple lines of the frame are the distinctive features of the Avalone. Its contemporary, minimalist design perfectly blends in with modern interiors, especially those in scandinavian style. The unobtrusive appearance of the fireplace vividly exposes the warm light of the Optiflame® fire. The rich flames are clearly visible, and their brightness as well as the generated heat can be adjusted by the remote control. The Avalone concrete will definitely attract the attention of those, who find modern interior design very appealing.

USP's


- Modern design with a white finish
- Digital thermostat for easy temperature adjustment
- The flame effect can also be used without the heat to enjoy the charm of the fireplace 365 days a year



Article number: 111168 | EAN Code: 5011139111168 | Optiflame®

 **Dimplex**

Disclaimer
We have compiled this publication with the utmost care. The information in this publication can be shown inaccurately, may have been changed or supplemented. This publication can be changed. Glen Dimplex is not responsible for the action taken, decisions of results based solely on the information contained in this publication.



		Avalone White
General specifications	Fire system	Optiflame®
	Article number	111168
	EAN code	5011139111168
	Model	Freestanding fireplace
	View of the fire	1 sided
	Colour	White
	Decoration / fuel bed	Log set
Product size	Measurements view of the fire (WxH)	39 x 52 cm
	Outside dimensions WxHxD	90 x 90 x 32 cm
Features	Heat output	Yes
	Thermostat	Yes
	Remote control	Yes
	Manual controlling directly at the fireplace possible yes / no	Flame regulation
	Light module	LED
	Sound module	No
	Colour effects settings	No
Power consumption	Heat setting 1 in W	1400 W
	Heat setting 2 in W	-
	Flame only operation in W	7 W
	Max. consumption	1400 W
Voltage	Voltage/Electrical frequency	230V/50Hz
Specifications	Product weight in kg	37 kg
	Length of the cord	1,5 m
	Warranty	2 year

Zen

Optimyst®

The industrial finish and clean, minimalist lines are the distinctive features of the Zen. Its contemporary, minimalist design perfectly blends in with modern interiors, especially those in industrial style. The unobtrusive appearance of the fireplace vividly exposes the warm light of the Optimyst® fire. The realistic, 3D flames, arising from water mist and LED light, are clearly visible due to the two-sided surround. The Zen concrete will undoubtedly appeal not only to the amateurs of loft spaces. The fire can be conveniently operated by the remote control.

USP's

- Modern design with an industrial look.
- Suits both modern and classic interiors
- 2-sided fire view



Zen Concrete

111166 / 5011139111166



ZEN White


111164 / 5011139111164

Required engine



Cassette 400/600 LED

210791
5011139210791



		Zen Concrete	Zen White
General specifications	Fire system	Optimyst®	Optimyst®
	Article number	111166	111164
	EAN code	5011139111166	5011139111164
	Model	Freestanding fireplace	Freestanding fireplace
	View of the fire	2 sided	2 sided
	Colour	Concrete look	White
	Decoration / fuel bed	Metal plate	Metal plate
Product size	Measurements view of the fire (WxH)	38 x 20 cm	38 x 20 cm
	Outside dimensions WxHxD	90 x 88 x 32 cm	90 x 88 x 32 cm
Features	Heat output		
	Thermostat		
	Remote control		
	Manual controlling directly at the fireplace possible yes / no		
	Light module		
	Sound module		
	Colour effects settings		
Power consumption	Heat setting 1 in W		
	Heat setting 2 in W		
	Flame only operation in W		
	Max. consumption		
Voltage	Voltage/Electrical frequency		
Specifications	Product weight in kg	40	40
	Length of the cord		
	Warranty	2 year	2 year

Beethoven antique

Optiflame®



This electric fire has been designed in the style of grand Viennese houses. The Beethoven antique is quite rightly the focal point of your home. The neoclassical design and the cream-white colour enhance the flame effect.

USP's:


- Structured surface decorated with ornaments
- Compact design combined with a classic style in creamy white
- Digital thermostat for temperature adjustment



Article number: 207906 | EAN Code: 5011139207906 | Optiflame®

 **Dimplex**

Disclaimer
We have compiled this publication with the utmost care. The information in this publication can be shown inaccurately, may have been changed or supplemented. This publication can be changed. Glen Dimplex is not responsible for the action taken, decisions of results based solely on the information contained in this publication.



		Beethoven antique
General specifications	Fire system	Optiflame®
	Article number	207906
	EAN code	5011139207906
	Model	Freestanding fireplace
	View of the fire	1 sided
	Colour	Off-white
	Decoration / fuel bed	Log set
Product size	Measurements view of the fire (WxH)	52 x 39 cm
	Outside dimensions WxHxD	98,9 x 93,6 x 36,2 cm
Features	Heat output	Yes
	Thermostat	Yes
	Remote control	Yes
	Manual controlling directly at the fireplace possible yes / no	Yes
	Light module	LED
	Sound module	No
	Colour effects settings	-
Power consumption	Heat setting 1 in W	750W
	Heat setting 2 in W	1500W
	Flame only operation in W	15W
	Max. consumption	1500W
Voltage	Voltage/Electrical frequency	230V/50Hz
Specifications	Product weight in kg	37
	Length of the cord	1,5 m
	Warranty	2 year

Bellini

Optiflame®



This Bellini fits perfectly in modern and industrial interiors. The beautiful flame effect is thanks to the famous Optiflame® flame effect. The flames and built-in heating can be easily adjusted via the remote control.

USP's

- Modern and compact design ideal for smaller spaces
- Rotary thermostat for temperature control
- Lacquered surface gives a gloss finish



Bellini white

211149 / 5011139211149



Bellini black

211132 / 5011139211132




Bellini concrete

210449 / 5011139210449



Bellini brown

210456 / 5011139210456



		Bellini
General specifications	Fire system	Optiflame®
	Article number	211149 (white) / 211132 (black) 210456 (brown) / 210449 (concrete)
	EAN code	5011139211149 (white) / 5011139211132 (black) / 5011139210456 (brown) / 5011139210449 (concrete)
	Model	Freestanding fireplace
	View of the fire	1 sided
	Colour	- White met white frame - White met black frame - White met concrete look frame - White met brown frame
	Decoration / fuel bed	Log set
Product size	Measurements view of the fire (WxH)	34 x 38 cm
	Outside dimensions WxHxD	65 x 86,8 x 19,5 cm
Features	Heat output	Yes
	Thermostat	Yes
	Remote control	Yes
	Manual controlling directly at the fireplace possible yes / no	Yes
	Light module	LED
	Sound module	No
	Colour effects settings	-
Power consumption	Heat setting 1 in W	750W
	Heat setting 2 in W	1500W
	Flame only operation in W	10W
	Max. consumption	1500W
Voltage	Voltage/Electrical frequency	230V/50Hz
Specifications	Product weight in kg	21,5
	Length of the cord	1,5 m
	Warranty	2 year

Gisella white

Optiflame®



Do you wish to enjoy a fireplace but have little room to spare? The Dimplex Gisella was specially designed to offer the pleasure of heartwarming flames with heat in compact homes. Also ideal as a second fireplace in studies, bedrooms, or in tiny homes.

USP's


- Modern and compact design
- Glass shelf on top
- Rotary thermostat for temperature control
- Fan heater with two heating levels



Article number: 208392 | EAN Code: 5011139208392 | Optiflame®

Dimplex

Disclaimer
We have compiled this publication with the utmost care. The information in this publication can be shown inaccurately, may have been changed or supplemented. This publication can be changed. Glen Dimplex is not responsible for the action taken, decisions of results based solely on the information contained in this publication.



		Gisella white
General specifications	Fire system	Optiflame®
	Article number	208392
	EAN code	5011139208392
	Model	Freestanding fireplace
	View of the fire	1 sided
	Colour	Pure white
	Decoration / fuel bed	Log set
Product size	Measurements view of the fire (WxH)	34 x 38 cm
	Outside dimensions WxHxD	58,1 x 79,5 x 17 cm
Features	Heat output	Yes
	Thermostat	Yes
	Remote control	Yes
	Manual controlling directly at the fireplace possible yes / no	Yes
	Light module	LED
	Sound module	No
	Colour effects settings	-
Power consumption	Heat setting 1 in W	750W
	Heat setting 2 in W	1500W
	Flame only operation in W	15W
	Max. consumption	1500W
Voltage	Voltage/Electrical frequency	230V/50Hz
Specifications	Product weight in kg	21
	Length of the cord	1,5 m
	Warranty	2 year

Danville

Optimyst®



A modern fireplace insert, with a 3D flame effect and glowing wood blocks that continue to fascinate. Available in three different designs to create your personal style: powerful black, beautiful chrome or classic brass. The remote control and heating make this fireplace even more attractive.

USP's

- Inset fire designed to fit standard fireplace
- Contemporary styling with powerful black finish
- Log effect bed for added authenticity
- Rotary thermostat for temperature control




Danville black
202550 / 5011139202550



Danville brass antique
202536 / 5011139202536



Danville chrome
202567 / 5011139202567



		Danville
General specifications	Fire system	Optimyst®
	Article number	202550 (Black) 202536 (Brass) 202567 (Chrome)
	EAN code	5011139202550 (Black) 5011139202536 (Brass) 5011139202567 (Chrome)
	Model	Freestanding fireplace
	View of the fire	1 sided
	Colour	Black
	Decoration / fuel bed	Log set
Product size	Measurements view of the fire (WxH)	32 x 24 cm
	Outside dimensions WxHxD	52 x 62 x 23,1 cm
Features	Heat output	Yes
	Thermostat	Yes
	Remote control	Yes
	Manual controlling directly at the fireplace possible yes / no	Yes
	Light module	Halogen
	Sound module	No
	Colour effects settings	No
Power consumption	Heat setting 1 in W	1000W
	Heat setting 2 in W	2000W
	Flame only operation in W	200W
	Max. consumption	2000W
Voltage	Voltage/Electrical frequency	230V/50Hz
Specifications	Product weight in kg	16
	Length of the cord	1,5 m
	Warranty	2 year

Isola Stone

Optimyst®

The Dimplex Isola makes a statement in fire. Sitting on a pedestal of white mineral stone is a cool electric fire, producing flames and smoke from water vapour and LED light, stylishly surrounded by a minimalistic glass cover. Surprisingly inspirational and versatile to use: alongside walls or free standing, separating or connecting spaces, single or in pairs, guarding a passage... Easy to use as well, because it only requires electricity and water.

USP's


- Great and qualitative finishing from mineral stone
- Frame around the fire made of glass with metal holders
- Complete set - includes the Cassette 250, easy to use, only needs power and water
- Log set available as accessory



Isola Stone white
SET001 / 8716412211317



Isola Stone grey
SET002 / 8716412211324



		Isola Stone white	Isola Stone grey
General specifications	Fire system	Optimyst®	Optimyst®
	Article number	SET001	SET002
	EAN code	8716412211317	8716412211324
	Model	Freestanding furniture	Freestanding furniture
	View of the fire	4 sided	4 sided
	Colour	White polished stone finish	Grey polished stone finish
	Decoration / fuel bed	Metal plate	Metal plate
Product size	Measurements view of the fire (WxH)	22 x 20 cm	22 x 20 cm
	Outside dimensions WxHxD	33 x 130 x 33 cm	33 x 130 x 33 cm
Features	Heat output	No	No
	Thermostat	No	No
	Remote control	Yes	Yes
	Manual controlling directly at the fireplace possible yes / no	Yes	Yes
	Light module	LED	LED
	Sound module	No	No
	Colour effects settings	No	No
Power consumption	Heat setting 1 in W	-	-
	Heat setting 2 in W	-	-
	Flame only operation in W	60W	60W
	Max. consumption	60W	60W
Voltage	Voltage/Electrical frequency	230V/50Hz	230V/50Hz
Specifications	Product weight in kg	32,8	32,8
	Length of the cord	1m	1m
	Warranty	2 year	2 year

Silverton

Optimyst®


Do you cherish your existing fireplace or stove but make no use of it? The Silverton is a smart and compact electric fire, designed to revive your wood or gas fire. Thanks to its glowing logs, its flames and smoke coming from cold water vapour and LEDs, enjoying your fireplace can be a comfortable and lasting experience, again.

USP's

- Compact freestanding fireplace
- Also suitable as an insert for inoperative fireplaces
- Glowing LED log set with loose logs für individual decoration
- Including a glowing ash bed for under the fire basket



Article number: 204554 | EAN Code: 5011139204554 | Optimyst®



		Silverton
General specifications	Fire system	Optimyst®
	Article number	204554
	EAN code	5011139204554
	Model	Freestanding fireplace
	View of the fire	4 sided
	Colour	Black
	Decoration / fuel bed	LED log set
Product size	Measurements view of the fire (WxH)	22 x 20 cm
	Outside dimensions WxHxD	68,2 x 33 x 36,1 cm
Features	Heat output	No
	Thermostat	No
	Remote control	Yes
	Manual controlling directly at the fireplace possible yes / no	Yes
	Light module	LED
	Sound module	No
	Colour effects settings	No
Power consumption	Heat setting 1 in W	-
	Heat setting 2 in W	-
	Flame only operation in W	60W
	Max. consumption	60W
Voltage	Voltage/Electrical frequency	230V/50Hz
Specifications	Product weight in kg	11
	Length of the cord	1,5 m
	Warranty	2 year

Logset 20'

Revillusion®



The Revillusion® logset 20" by Dimplex is an electric fire system designed to instantly revive your non-active fireplace. Very easy to install, safe, maintenance free, and requiring surprisingly little energy. A great way to bring back the fascination of flames moving upwards from the glowing logs, reinstalling your fireplace as a focal point, for great moments around the fire. Fitted with ambient light functions and a heater and even a remote, to let you enjoy your fireplace comfortably at each moment of the day and year.

USP's

- Freestanding fireplace that is also suitable for inoperative fireplaces as insert
- Adjustable brightness level to suit the desired ambience
- Mirage Flame panel - partially frosted acrylic panel which works better than a mirror, showing only lifelike flames and no reflections
- The 360° light adds flickering light to enhance the firelight effect
- Enjoy the unique charm of the fireplace 365 days a year using the flames without the heat




Article number: 211156 | EAN Code: 5011139211156 | Revillusion®

 **Dimplex**

Disclaimer
We have compiled this publication with the utmost care. The information in this publication can be shown inaccurately, may have been changed or supplemented. This publication can be changed. Glen Dimplex is not responsible for the action taken, decisions of results based solely on the information contained in this publication.

Dimensions

Width: 603 mm
 Height: 482 mm
 Depth: 317 mm
 Weight: 5.0 kg



		Log set 20"
General specifications	Fire system	Revillusion®
	Article number	211156
	EAN code	5011139211156
	Model	Insert
	View of the fire	3 sided
	Colour	Black
	Decoration / fuel bed	LED log set
Product size	Measurements view of the fire (WxH)	-
	Outside dimensions WxHxD	60,3 x 48,2 x 31,7 cm
Features	Heat output	Yes
	Thermostat	Yes
	Remote control	Yes
	Manual controlling directly at the fireplace possible yes / no	Only flame effect
	Light module	LED
	Sound module	No
	Colour effects settings	No
Power consumption	Heat setting 1 in W	650W
	Heat setting 2 in W	1300W
	Flame only operation in W	9W
	Max. consumption	1300W
Voltage	Voltage/Electrical frequency	230V/50Hz
Specifications	Product weight in kg	4,9
	Length of the cord	1,5 m
	Warranty	2 year

Lucia

Optiflame®




A wonderfully compact stove which will bring a real fire feel with the convenience of electric, great to enrich even the smallest living space. The look of a classic cast-iron stove, with contemporary styling and many features. The opening glass door adds to that authentic feeling, while staring into the warm red flames and logs of the Optiflame® fire. Adjust the flame and heat setting over the concealed controls or with the remote.

USP's

- Freestanding classic cast-iron look stove with modern touch in a matt black finish
- Opening door with glass and a silver handle
- Rotary thermostat for temperature control



Article number: 211255 | EAN Code: 5011139211255 | Optiflame®



		Lucia Stove
General specifications	Fire system	Optiflame®
	Article number	211255
	EAN code	5011139211255
	Model	Freestanding fireplace
	View of the fire	1 sided
	Colour	Black
	Decoration / fuel bed	Log set
Product size	Measurements view of the fire (WxH)	38 x 25 cm
	Outside dimensions WxHxD	50,8 x 59,7 x 34,4 cm
Features	Heat output	Yes
	Thermostat	Yes
	Remote control	Yes
	Manual controlling directly at the fireplace possible yes / no	Yes
	Light module	LED
	Sound module	No
	Colour effects settings	No
Power consumption	Heat setting 1 in W	900W
	Heat setting 2 in W	1800W
	Flame only operation in W	10W
	Max. consumption	1800W
Voltage	Voltage/Electrical frequency	230V/50Hz
Specifications	Product weight in kg	15,8
	Length of the cord	1,5 m
	Warranty	2 year

Stockbridge

Optimyst®



A timeless combination in itself: a traditionally shaped and robust free standing stove which offers you all the benefits of a modern electric fire. Stare into the playful 3-dimensional flames of the Optimyst® fire and feel the cosy warmth from its built in electric heater.

USP's


- Authentic cast-iron stove with a metal housing
- Decorative glass doors that can be opened
- Metal sheet mirror back panel for a more intensive flame picture
- Rotary thermostat for temperature control



Article number: 206398 | EAN Code: 5011139206398 | Optimyst®

 **Dimplex**

Disclaimer
We have compiled this publication with the utmost care. The information in this publication can be shown inaccurately, may have been changed or supplemented. This publication can be changed. Glen Dimplex is not responsible for the action taken, decisions of results based solely on the information contained in this publication.



	Stockbridge	
General specifications	Fire system	Optimyst®
	Article number	206398
	EAN code	5011139206398
	Model	Freestanding fireplace
	View of the fire	1 sided
	Colour	Black
	Decoration / fuel bed	Log set
Product size	Measurements view of the fire (WxH)	53 x 28 cm
	Outside dimensions WxHxD	62 x 66 x 39 cm
Features	Heat output	Yes
	Thermostat	Yes
	Remote control	Yes
	Manual controlling directly at the fireplace possible yes / no	Yes
	Light module	Halogen
	Sound module	No
Power consumption	Colour effects settings	No
	Heat setting 1 in W	1000W
	Heat setting 2 in W	2000W
	Flame only operation in W	200W
Voltage	Max. consumption	2000W
	Voltage/Electrical frequency	230V/50Hz
Specifications	Product weight in kg	15,6
	Length of the cord	1,5 m
	Warranty	2 year

Sunningdale

Opti-Virtual



The Sunningdale is a classic, timeless stove design that suits many different interiors. The real experience of fire, with crackling sounds, sparks that seem to jump is all down to the proven Opti-V® technology. A built-in heating bed completes the experience.

USP's


- Traditional cast-iron stove with a metal housing
- Crackling logs sound effects with adjustable volume
- Glass door that can be opened
- Digital thermostat for temperature adjustment



Article number: 207784 | EAN Code: 501139207784 | Optimyst®



Disclaimer
We have compiled this publication with the utmost care. The information in this publication can be shown inaccurately, may have been changed or supplemented. This publication can be changed. Glen Dimplex is not responsible for the action taken, decisions of results based solely on the information contained in this publication.



		Sunningdale
General specifications	Fire system	Opti-Virtual®
	Article number	207784
	EAN code	5011139207784
	Model	Freestanding fireplace
	View of the fire	1 sided
	Colour	Black
	Decoration / fuel bed	Log set
Product size	Measurements view of the fire (WxH)	45 x 30 cm
	Outside dimensions WxHxD	63,2 x 65,7 x 44 cm
Features	Heat output	Yes
	Thermostat	Yes
	Remote control	Yes
	Manual controlling directly at the fireplace possible yes / no	-
	Light module	LED screen
	Sound module	Yes
Power consumption	Heat setting 1 in W	1000W
	Heat setting 2 in W	2000W
	Flame only operation in W	40W
	Max. consumption	2000W
Voltage	Voltage/Electrical frequency	230V/50Hz
Specifications	Product weight in kg	30
	Length of the cord	1,5 m
	Warranty	2 year

Scandic

Optiflame®




A well balanced oval geometry characterizes the Scandic, with a design that was inspired on an original Swedish stove. A log compartment is inside to enhance its looks, as well as a storage shelf on top, to personalize it to your interior style. Thanks to its electric Optiflame® fire the Scandic is extremely simple to install and can be enjoyed all year round.

USP's

- Modern Scandinavian styled fireplace with log storage compartment
- Oval shape with white tile look alike on the side
- Storage compartment on top for decoration
- Rotary thermostat for temperature control
- The unique charm of the fireplace can be enjoyed 365 days a year using the flames without the heat



Article number: 208200 | EAN Code: 5011139208200 | Optiflame®



	Scandic	
General specifications	Fire system	Optiflame®
	Article number	208200
	EAN code	5011139208200
	Model	Freestanding fireplace
	View of the fire	1 sided
	Colour	White
	Decoration / fuel bed	Log set
Product size	Measurements view of the fire (WxH)	38 x 37 cm
	Outside dimensions WxHxD	67,4 x 103,5 x 31,6 cm
Features	Heat output	Yes
	Thermostat	Yes
	Remote control	Yes
	Manual controlling directly at the fireplace possible yes / no	Yes
	Light module	LED
	Sound module	No
	Colour effects settings	No
Power consumption	Heat setting 1 in W	1000W
	Heat setting 2 in W	2000W
	Flame only operation in W	10W
	Max. consumption	2000W
Voltage	Voltage/Electrical frequency	230V/50Hz
Specifications	Product weight in kg	42,6
	Length of the cord	1,5 m
	Warranty	2 year

Verdi

Optimyst®




With its slender, tall and light design, the Verdi has already earned the appreciation of many. Quickly to install, yet a lasting focal point in even the smallest living room. Designed for quality time around the realistic fire, while enjoying pleasant warmth.

USP's

- Modern Scandinavian design almost 150 cm high
- White oval body with high-gloss finish
- "With storage compartment for logs"
- Decorative silver frame around the firebox
- Optional: mirror back panel wall that intensifies the flame picture



Article number: 206275 | EAN Code: 5011139206275 | Optimyst®



		Verdi
General specifications	Fire system	Optimyst®
	Article number	206275
	EAN code	5011139206275
	Model	Freestanding fireplace
	View of the fire	1 sided
	Colour	White
	Decoration / fuel bed	Log set
Product size	Measurements view of the fire (WxH)	40 x 50 cm
	Outside dimensions WxHxD	77,5 x 143,2 x 44,7 cm
Features	Heat output	Yes
	Thermostat	Yes
	Remote control	Yes
	Manual controlling directly at the fireplace possible yes / no	Yes
	Light module	Halogen
	Sound module	No
	Colour effects settings	No
Power consumption	Heat setting 1 in W	1000W
	Heat setting 2 in W	2000W
	Flame only operation in W	200W
	Max. consumption	2000W
Voltage	Voltage/Electrical frequency	230V/50Hz
Specifications	Product weight in kg	42
	Length of the cord	1,5 m
	Warranty	2 year

Nordic

Optiflame®



A cast-iron look exterior, a store space for logs ...the Nordic is a stylish electric fire, designed as a traditional Scandinavian wood stove. Easy to install in any living room. Its narrow and long shape make it perfect for small rooms..

USP's


- Grey cast-iron look with Scandinavian-style design
- Log storage compartment
- Storage compartment on top for decoration
- High model: almost 125cm high
- Rotary thermostat for temperature control



Article number: 208187 | EAN Code: 5011139208187 | Optiflame®

 **Dimplex**

Disclaimer
We have compiled this publication with the utmost care. The information in this publication can be shown inaccurately, may have been changed or supplemented. This publication can be changed. Glen Dimplex is not responsible for the action taken, decisions of results based solely on the information contained in this publication.



		Nordic
General specifications	Fire system	Optiflame®
	Article number	208187
	EAN code	5011139208187
	Model	Freestanding fireplace
	View of the fire	1 sided
	Colour	Anthracite
	Decoration / fuel bed	Log set
Product size	Measurements view of the fire (WxH)	37 x 38 cm
	Outside dimensions WxHxD	60 x 123,7 x 29 cm
Features	Heat output	Yes
	Thermostat	Yes
	Remote control	Yes
	Manual controlling directly at the fireplace possible yes / no	Yes
	Light module	LED
	Sound module	No
	Colour effects settings	No
Power consumption	Heat setting 1 in W	1000W
	Heat setting 2 in W	2000W
	Flame only operation in W	10W
	Max. consumption	2000W
Voltage	Voltage/Electrical frequency	230V/50Hz
Specifications	Product weight in kg	34,8
	Length of the cord	1,5 m
	Warranty	2 year

Cubic

Optimyst®



The distinct yet sleek metal design of the free standing Cubic will bring you the joy of fire for many years. Is ever changing, free floating flames and smoke are due to Dimplex's own Optimyst® system. Enhance the flame effect with the optional mirror back panel. And finish off its looks with true logs in the compartment (not included).

USP's

- Nordic styled fireplace with log compartment
- With silver applications in the front
- A centerpiece with a height of 127 cm
- Rotary thermostat for temperature control
- Optional: mirror back panel for a more intense flame pattern



Article number: 207425 | EAN Code: 5011139207425 | Optimyst®



		Cubic
General specifications	Fire system	Optimyst®
	Article number	207425
	EAN code	5011139207425
	Model	Freestanding fireplace
	View of the fire	1 sided
	Colour	Black/anthracite
	Decoration / fuel bed	Log set
Product size	Measurements view of the fire (WxH)	38 x 40 cm
	Outside dimensions WxHxD	67 x 127 x 42 cm
Features	Heat output	Yes
	Thermostat	Yes
	Remote control	Yes
	Manual controlling directly at the fireplace possible yes / no	Yes
	Light module	Halogen
	Sound module	No
	Colour effects settings	No
Power consumption	Heat setting 1 in W	1000W
	Heat setting 2 in W	2000W
	Flame only operation in W	200W
	Max. consumption	2000W
Voltage	Voltage/Electrical frequency	230V/50Hz
Specifications	Product weight in kg	36,5
	Length of the cord	1,5 m
	Warranty	2 year

Romero

Optimyst®




The stove-like design of the Romero combines modern round shapes, colors and materials with a rustic log fire, which goes well with timeless and modern interiors. Its slender design makes it especially ideal to enrich smaller rooms. The superior Optimyst® flame effect is lively and ever-changing, with a heater to warm you, plus a comfortable remote control.

USP's

- Nordic styled fireplace with a log storage compartment
- The use of anthracite metal sheet gives the fireplace a solid appearance
- Storage compartment on top for decoration
- Optional: Mirror back panel for an even more intense fire experience



Article number: 203335 | EAN Code: 5011139203335 | Optimyst®



	Romero	
General specifications	Fire system	Optimyst®
	Article number	203335
	EAN code	5011139203335
	Model	Freestanding fireplace
	View of the fire	1 sided
	Colour	Black/anthracite
	Decoration / fuel bed	Log set
Product size	Measurements view of the fire (WxH)	38 x 40 cm
	Outside dimensions WxHxD	59,6 x 113,6 x 31,1 cm
Features	Heat output	Yes
	Thermostat	Yes
	Remote control	Yes
	Manual controlling directly at the fireplace possible yes / no	Yes
	Light module	Halogen
	Sound module	No
	Colour effects settings	-
Power consumption	Heat setting 1 in W	1000W
	Heat setting 2 in W	2000W
	Flame only operation in W	200W
	Max. consumption	2000W
Voltage	Voltage/Electrical frequency	230V/50Hz
Specifications	Product weight in kg	35
	Length of the cord	1,5 m
	Warranty	2 year

Opti-V 360°

Opti-Virtual


With its striking and uncompromising design, the Opti-Virtual® 360 can already be regarded a modern classic. Its authentic flame effect radiates to all sides, and will catch you with realistically flickering flames, jumping sparks and the sound of a crackling wood fire. Its timeless skin pattern is not only distinct by itself, it produces an even more amazing ambiance by night. In short: this fireplace is a striking decorative element for your home. Easy to install and convenient to set and operate with the remote control.

USP's

- Real fire footage displayed on a High Definition LCD screen
- Flames and sparks jumping and flickering amongst the LED logs that sporadically spark
- Lattice frame creates stunning visual effect
- Crackling logs sound effects with adjustable volume
- Can be displayed with or without legs



Article number: 206336 | EAN Code: 5011139206336 | Opti-Virtual®



		Opti-V 360
General specifications	Fire system	Opti-Virtual®
	Article number	206336
	EAN code	5011139206336
	Model	Freestanding fireplace
	View of the fire	4 sided (360 degrees)
	Colour	Black
	Decoration / fuel bed	Mirror / log set
Product size	Measurements view of the fire (WxH)	40 x 41 cm
	Outside dimensions WxHxD	42 x 70,5 x 42 cm
Features	Heat output	No
	Thermostat	No
	Remote control	Yes
	Manual controlling directly at the fireplace possible yes / no	No
	Light module	LED screen
	Sound module	No
	Colour effects settings	-
Power consumption	Heat setting 1 in W	-
	Heat setting 2 in W	-
	Flame only operation in W	25W
	Max. consumption	25W
Voltage	Voltage/Electrical frequency	230V/50Hz
Specifications	Product weight in kg	12
	Length of the cord	1,5 m
	Warranty	2 year

Chopin

Optiflame®



Experience a true fireplace with the classical shape of the Chopin electric suite set. Pure elegance comes from the subtle ornaments, surrounding the heartwarming flames that rise up from the logs. To make this experience even more complete, a concealed heater blows warmth into your interior upon request. All this is at your fingertips: just unbox, plug in, and enjoy.

USP's:


- Classic design in off-white
- Finished with a decorative line pattern
- Digital thermostat for easy temperature control
- Display integrated in front glass panel



Article number: 210470 | EAN Code: 5011139210470 | Optiflame®

 **Dimplex**

Disclaimer
We have compiled this publication with the utmost care. The information in this publication can be shown inaccurately, may have been changed or supplemented. This publication can be changed. Glen Dimplex is not responsible for the action taken, decisions of results based solely on the information contained in this publication.



		Chopin
General specifications	Fire system	Optiflame®
	Article number	210470
	EAN code	5011139210470
	Model	Freestanding fireplace
	View of the fire	1 sided
	Colour	Cream white
	Decoration / fuel bed	Log set
Product size	Measurements view of the fire (WxH)	52 x 39 cm
	Outside dimensions WxHxD	105 x 99 x 33,5 cm
Features	Heat output	Yes
	Thermostat	Yes
	Remote control	Yes
	Manual controlling directly at the fireplace possible yes / no	Yes
	Light module	LED
	Sound module	No
	Colour effects settings	No
Power consumption	Heat setting 1 in W	750W
	Heat setting 2 in W	1500W
	Flame only operation in W	10W
	Max. consumption	1500W
Voltage	Voltage/Electrical frequency	230V/50Hz
Specifications	Product weight in kg	46,5
	Length of the cord	1,5 m
	Warranty	2 year

Haydn

Revillusion®



The Haydn has a classic country style, with a touch of modern. Experience the pure feeling of an original fireplace, thanks to the brick back panel and the realistic flames burning in the middle, above softly glowing logs. Adjust the ambient lighting and the thermostat to your preference. And relax!

USP's



- Great sized fireplace in a classic country home style
- Mantelpiece made of natural oak wood veneer
- Brick back panel for an authentic look
- Revillusion® flame technology provides a personally adjustable fire image with surprising depth effect
- Adds additional atmosphere with custom atmospheric lighting and colour enhancement



Article number: 210494 | EAN Code: 5011139210494 | Revillusion®

 **Dimplex**

Disclaimer
We have compiled this publication with the utmost care. The information in this publication can be shown inaccurately, may have been changed or supplemented. This publication can be changed. Glen Dimplex is not responsible for the action taken, decisions of results based solely on the information contained in this publication.



	Haydn	
General specifications	Fire system	Revillusion®
	Article number	210494
	EAN code	5011139210494
	Model	Freestanding fireplace
	View of the fire	1 sided
	Colour	White incl. Wood finish on top. Black finish on the bottom.
	Decoration / fuel bed	Log set
Product size	Measurements view of the fire (WxH)	75 x 58 cm
	Outside dimensions WxHxD	141 x 121 x 41 cm
Features	Heat output	Yes
	Thermostat	Yes
	Remote control	Yes
	Manual controlling directly at the fireplace possible yes / no	Yes
	Light module	LED
	Sound module	No
	Colour effects settings	Fuel bed in blue / red shade
Power consumption	Heat setting 1 in W	-
	Heat setting 2 in W	2000W
	Flame only operation in W	15W
	Max. consumption	2000W
Voltage	Voltage/Electrical frequency	230V/50Hz
Specifications	Product weight in kg	86,2
	Length of the cord	1,5 m
	Warranty	2 year

Mozart White

Optiflame®



Subtle vertical line patterns and a high gloss finish with top-quality piano lacquer give the Mozart a Mediterranean look and feel. The electric Optiflame® fire makes it simple to place this suite nearly anywhere in your interior for that warming atmosphere: from a mansion to a luxury apartment, from a living room to a study or bedroom..

USP's


- Country house style in high-gloss white
- With dark marble effect back panel and a decorative line pattern
- Rotary thermostat for temperature control



Article number: 208248 | EAN Code: 5011139208248 | Optiflame®

 **Dimplex**

Disclaimer
We have compiled this publication with the utmost care. The information in this publication can be shown inaccurately, may have been changed or supplemented. This publication can be changed. Glen Dimplex is not responsible for the action taken, decisions of results based solely on the information contained in this publication.



	Mozart white HG	
General specifications	Fire system	Optiflame®
	Article number	208248
	EAN code	5011139208248
	Model	Freestanding fireplace
	View of the fire	1 sided
	Colour	High gloss white
	Decoration / fuel bed	Log set
Product size	Measurements view of the fire (WxH)	37 x 38 cm
	Outside dimensions WxHxD	85,7 x 92 x 37,5 cm
Features	Heat output	Yes
	Thermostat	Yes
	Remote control	Yes
	Manual controlling directly at the fireplace possible yes / no	Yes
	Light module	LED
	Sound module	No
	Colour effects settings	No
Power consumption	Heat setting 1 in W	1000W
	Heat setting 2 in W	2000W
	Flame only operation in W	10W
	Max. consumption	2000W
Voltage	Voltage/Electrical frequency	230V/50Hz
Specifications	Product weight in kg	40,3
	Length of the cord	1,5 m
	Warranty	2 year

Moorefield

Optimyst®



With its clean, elegant lines, the Moorefield suite blends with any modern living room. Its off-white finish with a stone effect gives a classic feel to this fireplace. A true focal point is the incredible 3D Optimyst® fire, with a flame and smoke effect that never is the same. The fire can operate via a remote control and can even be used independently of the concealed heater, to relax by at any moment of the day or year.

USP's

- Full fireplace suite in a classic and timeless design
- Beautiful stone effect finish
- Optional: mirror back panel for an even more intense fire experience
- Rotary thermostat for temperature control



Article number: 203632 | EAN Code: 5011139203632 | Optimyst®



	Moorefield	
General specifications	Fire system	Optimyst®
	Article number	203632
	EAN code	5011139203632
	Model	Freestanding fireplace
	View of the fire	1 sided
	Colour	Cream white
	Decoration / fuel bed	Log set
Product size	Measurements view of the fire (WxH)	38 x 40 cm
	Outside dimensions WxHxD	92 x 86,4 x 31,5 cm
Features	Heat output	Yes
	Thermostat	Yes
	Remote control	Yes
	Manual controlling directly at the fireplace possible yes / no	Yes
	Light module	Halogen
	Sound module	No
	Colour effects settings	No
Power consumption	Heat setting 1 in W	1000W
	Heat setting 2 in W	2000W
	Flame only operation in W	200W
	Max. consumption	2000W
Voltage	Voltage/Electrical frequency	230V/50Hz
Specifications	Product weight in kg	38
	Length of the cord	1,5 m
	Warranty	2 year

Strata

Revillusion®



An experience close to sitting around an open fireplace. The grand and timeless Strata puts the full emphasis on the large and strikingly realistic Revillusion® log fire. Its pure design, high gloss finish with wooden accents and brick interior backwall perfectly match modern and industrial interiors.

USP's


- Great sized modern fireplace in high-gloss white
- Mantelpiece and plinth with walnut wood veneer
- Brick back panel for an authentic look
- Revillusion® flame technology provides a personally adjustable fire image with surprising depth effect
- Adds additional atmosphere with custom atmospheric lighting and colour enhancement



Article number: 210500 | EAN Code: 5011139210500 | Revillusion®

 **Dimplex**

Disclaimer
We have compiled this publication with the utmost care. The information in this publication can be shown inaccurately, may have been changed or supplemented. This publication can be changed. Glen Dimplex is not responsible for the action taken, decisions of results based solely on the information contained in this publication.



		Strata
General specifications	Fire system	Revillusion®
	Article number	210500
	EAN code	5011139210500
	Model	Freestanding fireplace
	View of the fire	1 sided
	Colour	White high gloss incl. bottom and top made of wood veneer
	Decoration / fuel bed	Log set
Product size	Measurements view of the fire (WxH)	75 x 58 cm
	Outside dimensions WxHxD	135,5 x 122,8 x 33,4 cm
Features	Heat output	Yes
	Thermostat	Yes
	Remote control	Yes
	Manual controlling directly at the fireplace possible yes / no	Yes
	Light module	LED
	Sound module	No
	Colour effects settings	Fuel bed in blue / red shade
Power consumption	Heat setting 1 in W	-
	Heat setting 2 in W	2000W
	Flame only operation in W	15W
	Max. consumption	2000W
Voltage	Voltage/Electrical frequency	230V/50Hz
Specifications	Product weight in kg	77,2
	Length of the cord	1,5 m
	Warranty	2 year

Sherwood

Optiflame®



The Sherwood brings the allure and style of a grand, modern fireplace into your home. The grey wooden accent subtly matches the marble panel inside. Its large, 30' Revillusion® fire is not only stunningly catching, it also has many settings and heat to suit your style and mood at any moment.

USP's


- Great sized modern fireplace in high-gloss white
- Design accent with grey wood veneer finish
- Back panel of the firebox in concrete look
- Revillusion® flame technology provides a personally adjustable fire image with surprising depth effect
- Adds additional atmosphere with custom atmospheric lighting and colour enhancement



Article number: 210937 | EAN Code: 5011139210937 | Optiflame®

 **Dimplex**

Disclaimer
We have compiled this publication with the utmost care. The information in this publication can be shown inaccurately, may have been changed or supplemented. This publication can be changed. Glen Dimplex is not responsible for the action taken, decisions of results based solely on the information contained in this publication.



		Sherwood
General specifications	Fire system	Optiflame®
	Article number	210937
	EAN code	5011139210937
	Model	Freestanding fireplace
	View of the fire	1 sided
	Colour	White/Concrete look
	Decoration / fuel bed	Log set
Product size	Measurements view of the fire (WxH)	75 x 58 cm
	Outside dimensions WxHxD	138 x 124,5 x 41,5 cm
Features	Heat output	Yes
	Thermostat	Yes
	Remote control	Yes
	Manual controlling directly at the fireplace possible yes / no	Yes
	Light module	LED
	Sound module	No
	Colour effects settings	Fuel bed in blue / red shade
Power consumption	Heat setting 1 in W	-
	Heat setting 2 in W	2000W
	Flame only operation in W	15W
	Max. consumption	2000W
Voltage	Voltage/Electrical frequency	230V/50Hz
Specifications	Product weight in kg	77,5
	Length of the cord	1,5 m
	Warranty	2 year

Campana

Optiflame®



A sophisticated, electric fireplace with Optiflame® flame effect and a classic, walnut veneered surround. Designed for traditional and retro style interiors, in particular formal living rooms. Equipped with a remote as well as heater for extra comfort and ease.

USP's:


- Classic style with walnut wood veneer
- Simple forms with fluted pilasters and an arched pedestal
- Digital thermostat for easy temperature control
- The flame effect can also be used without the heat to enjoy the charm of the fireplace 365 days a year



Article number: 207968 | EAN Code: 5011139207968 | Optiflame®

 **Dimplex**

Disclaimer
We have compiled this publication with the utmost care. The information in this publication can be shown inaccurately, may have been changed or supplemented. This publication can be changed. Glen Dimplex is not responsible for the action taken, decisions of results based solely on the information contained in this publication.



		Campana
General specifications	Fire system	Optiflame®
	Article number	211798
	EAN code	5011139211798
	Model	Freestanding fireplace
	View of the fire	1 sided
	Colour	Walnut
	Decoration / fuel bed	Log set
Product size	Measurements view of the fire (WxH)	62 x 48 cm
	Outside dimensions WxHxD	93,2 x 93,1 x 31,2 cm
Features	Heat output	1400W
	Thermostat	Yes
	Remote control	Yes
	Manual controlling directly at the fireplace possible yes / no	Yes
	Light module	LED
	Sound module	No
	Colour effects settings	No
Power consumption	Heat setting 1 in W	1400W
	Heat setting 2 in W	-
	Flame only operation in W	1400 W
	Max. consumption	1400W
Voltage	Voltage/Electrical frequency	230V/50Hz
Specifications	Product weight in kg	44
	Length of the cord	1,5 m
	Warranty	2 year

Mini Mozart

Optiflame®



The Mini Mozart has the design of a full-size wall fireplace in a bright finish, yet in a smaller size than usual. This makes this compact suite set ideal to enrich smaller rooms. The Optiflame® electric fire can also be enjoyed without its built in heater, and requires minimal maintenance. This basically allows you to enjoy it any moment of the day or year.

USP's


- With a dark marbled effect back panel around the firebox
- Compact design and easy movable, especially designed for smaller spaces
- Rotary thermostat for temperature control
- The flame effect can also be used without the heat to enjoy the charm of the fireplace 365 days a year



Mini mozart walnut
207999 / 5011139207999



Mini mozart black
208408 / 5011139208408



		Mini Mozart walnut	Mini Mozart black
General specifications	Fire system	Optiflame®	Optiflame®
	Article number	207999	208408
	EAN code	5011139207999	5011139208408
	Model	Freestanding fireplace	Freestanding fireplace
	View of the fire	1 sided	1 sided
	Colour	Walnut	Black
	Decoration / fuel bed	Log set	Log set
Product size	Measurements view of the fire (WxH)	38 x 34 cm	38 x 34 cm
	Outside dimensions WxHxD	70 x 75 x 26 cm	70 x 75 x 26 cm
Features	Heat output	Yes	Yes
	Thermostat	Yes	Yes
	Remote control	No	No
	Manual controlling directly at the fireplace possible yes / no	Yes	Yes
	Light module	LED	LED
	Sound module	No	No
	Colour effects settings	No	No
Power consumption	Heat setting 1 in W	750W	750W
	Heat setting 2 in W	1500W	1500W
	Flame only operation in W	15W	15W
	Max. consumption	1500W	1500W
Voltage	Voltage/Electrical frequency	230V/50Hz	230V/50Hz
Specifications	Product weight in kg	20	20
	Length of the cord	1,5 m	1,5 m
	Warranty	2 year	2 year

Cabrera

Optiflame®




Stylish, corner fireplace with Optiflame® flame effect in a classic, walnut veneered casing. Designed for traditional interiors, in particular tasteful studies and living rooms in retro style. Equipped with a remote as well as heater for extra comfort and ease.

USP's:

- Classic style with walnut wood veneer
- Designed to be placed in a corner
- Digital thermostat for easy temperature control
- The flame effect can also be used without the heat to enjoy the charm of the fireplace 365 days a year



Article number: 207999 | EAN Code: 5011139207999 | Optiflame®



		Cabrera
General specifications	Fire system	Optiflame®
	Article number	207999
	EAN code	5011139207999
	Model	Freestanding fireplace
	View of the fire	1 sided
	Colour	Walnut
	Decoration / fuel bed	Log set
Product size	Measurements view of the fire (WxH)	62 x 48 cm
	Outside dimensions WxHxD	93 x 93 x 66,2 cm
Features	Heat output	Yes
	Thermostat	Yes
	Remote control	Yes
	Manual controlling directly at the fireplace possible yes / no	Yes
	Light module	LED
	Sound module	No
	Colour effects settings	No
Power consumption	Heat setting 1 in W	1500W
	Heat setting 2 in W	-
	Flame only operation in W	7W
	Max. consumption	1400W
Voltage	Voltage/Electrical frequency	230V/50Hz
Specifications	Product weight in kg	43
	Length of the cord	1,5 m
	Warranty	2 year

Vivaldi

Optimyst®



Bronze, black and plain lines provide the Vivaldi suite set undeniable distinction. The mellow color combination and pure design together also form a great match with the truly three-dimensional flames and smoke effect, deceptively real yet electric and therefore safe and easy to operate. Plus easy to combine with many different interior styles.

USP's:

- Contemporary design with a black finish and bronze accents on the side
- Enjoy the charm of the fire 365 days a year as flame effect can be also operated without heat output
- Optional: mirror back pannel wall that intensifies the flame picture



Article number: 203342 | EAN Code: 5011139203342 | Optimyst®



		Vivaldi
General specifications	Fire system	Optimyst®
	Article number	203342
	EAN code	5011139203342
	Model	Freestanding fireplace
	View of the fire	1 sided
	Colour	Black / bronze
	Decoration / fuel bed	Log set
Product size	Measurements view of the fire (WxH)	40 x 50 cm
	Outside dimensions WxHxD	81 x 91,8 x 30,4 cm
Features	Heat output	Yes
	Thermostat	Yes
	Remote control	Yes
	Manual controlling directly at the fireplace possible yes / no	Yes
	Light module	Halogen
	Sound module	No
	Colour effects settings	No
Power consumption	Heat setting 1 in W	1000W
	Heat setting 2 in W	2000W
	Flame only operation in W	200W
	Max. consumption	2000W
Voltage	Voltage/Electrical frequency	230V/50Hz
Specifications	Product weight in kg	37
	Length of the cord	1,5 m
	Warranty	2 year

Let *Dimplex*
inspire you

SURROUNDS

Frame voor Prism 34"

An exclusive addition to the Prism 34" fireplace, surrounding the flames, to match your fire even stronger with your interior.

USP's

- Designed as a surround for the electric fireplace Prism 34"
- For a seamless addition to any modern space with a black finish and simple detail
- Excluding the electric fireplace
- Easy installation: just hang it on your existing installation (retrofit)



Frame black voor Prism 34"

2211361 / 50111392211361



Frame white voor Prism 34"

211354 / 5011139211354

Required engine



Prism 34"
208378
5011139208378

Unfortunately no line drawing available

		Frame black voor Prism 34"	Frame white voor Prism 34"
General specifications	Fire system	-	-
	Article number	2211361	211354
	EAN code	50111392211361	5011139211354
	Model	Voor Prism 34"	Voor Prism 34"
	View of the fire	1 sided	1 sided
	Colour	Black	White
	Decoration / fuel bed		
Product size	Measurements view of the fire (HxW) [cm]	79 x 27 cm (only if the fireplace is integrated)	79 x 27 cm (only if the fireplace is integrated)
	Outside dimensions WxHxD	119 x 81 x 20 cm	119 x 81 x 20 cm
Features	Heat output	-	-
	Thermostat	-	-
	Remote control	-	-
	Manual controlling directly at the fireplace possible Yes / no	-	-
	Light module		
	Sound module	-	-
	Colour effects settings	-	-
Power consumption	Heat setting 1 in W	-	-
	Heat setting 2 in W	-	-
	Flame only operation in W	-	-
	Max. consumption	-	-
Voltage	Voltage/Electrical frequency	-	-
Specifications	Product weight in kg	20	20
	Length of the cord	-	-
	Warranty	2 year	2 year

Nissum

This frame for the Wall fire engine is available in realistic Concrete look or high-gloss black, to give your fireplace a modern, striking, sleek or industrial look. Also available as the larger Nissum L.
Note: The Nissum is only the frame to be mounted on the Wall Fire engine, the engine itself is not included.

USP's

- Wall-mounted surround in a stylish and refined design
- Modern and industrial concrete look
- Excluding engine, this surround requires the Wall fire engine S or L



Nissum concrete S
207821 / 5011139207821



Nissum concrete L
207838 / 5011139207838

Required engine



Nissum Concrete S
Wall fire engine S
210180
5011139210180



Nissum Concrete L
Wall fire engine L
210203
5011139210203

Unfortunately no line drawing available

	Nissum concrete S		Nissum concrete L	
General specifications	Fire system			
	Article number	207821		207838
	EAN code	5011139207821		5011139207838
	Model	Wall model		Wall model
	View of the fire	1 sided		1 sided
	Colour	Concrete look		Concrete look
	Decoration / fuel bed			
Product size	Measurements view of the fire (WxH)	40 x 32 cm (only if the engine is integrated)		54 x 32 cm (only if the engine is integrated)
	Outside dimensions WxHxD	74 x 69 x 6 cm (20 cm complete product)		88 x 69 x 6 cm (20 cm complete product)
Features	Heat output	-		-
	Thermostat	-		-
	Remote control	-		-
	Manual controlling directly at the fireplace possible yes / no	-		-
	Light module	-		-
	Sound module	-		-
	Colour effects settings	-		-
Power consumption	Heat setting 1 in W	-		-
	Heat setting 2 in W	-		-
	Flame only operation in W	-		-
	Max. consumption	-		-
Voltage	Voltage/Electrical frequency	-		-
Specifications	Product weight in kg	6		6,5
	Length of the cord	-		-
	Warranty	2 year		2 year

Nissum black

The Nissum Black is a wall-mounted electric fire with Dimplex's own 3-dimensional Optimyst® fire effect, which is easy to operate and safe. Its surround in a stylish black finish in a concrete look, to give your fire a modern, striking, clean or industrial look. Note: the engine is not included.

USP's

- Wall-mounted surround in a stylish and refined design
- High gloss black finish
- Excluding engine, this surround requires the Wall fire engine L



Required engine



Nissum Black S
Wall fire engine S
210180
5011139210180



Nissum Black L
Wall fire engine L
210203
5011139210203

Unfortunately no line drawing available

	Nissum black S		Nissum black L	
General specifications	Fire system			
	Article number	202963		206299
	EAN code	5011139202963		5011139206299
	Model	Wall model		Wall model
	View of the fire	1 sided		1 sided
	Colour	Black		Black
	Decoration / fuel bed			
Product size	Measurements view of the fire (WxH)	40 x 32 cm (only if the engine is integrated)		54 x 32 cm (only if the engine is integrated)
	Outside dimensions WxHxD	74 x 69 x 6 cm (20 cm complete product)		88 x 69 x 6 cm (20 cm complete product)
Features	Heat output			
	Thermostat			
	Remote control			
	Manual controlling directly at the fireplace possible yes / no			
	Light module			
	Sound module	-		-
	Colour effects settings	-		-
Power consumption	Heat setting 1 in W	-		-
	Heat setting 2 in W	-		-
	Flame only operation in W	-		-
	Max. consumption	-		-
Voltage	Voltage/Electrical frequency	-		-
Specifications	Product weight in kg	6		6,5
	Length of the cord	-		-
	Warranty	2 year		2 year

Ravel Suite

With its subtle, minimalist design, and distinct choice of colors and materials, the Ravel delivers the pure essence of a fireplace surround in to the finest detail. In combination with a Dimplex Engine 56-600 MB (black mirror back panel) or 56-600 B (brick effect back panel) this suite set stands out especially in modern styled interiors with touches of industrialism, allowing full attention for the flames. (Note: Engine not included).

USP's

- Satin white and black with concrete effect base
- Modern style will compliment all room styles
- Excluding engine. Suitable engines are the Engine 56-600 MB (mirror back panel) and the Engine 56-600 B (brick back panel)



Required engine



**Engine 56-600 MB
(mirror back)**
210227
5011139210227



**Engine 56-600 B
(brick)**
210210
5011139210210

Article number: 211347 | EAN Code: 5011139211347 | Optimyst®

Unfortunately no line drawing available

	Ravel Suite	
General specifications	Fire system	
	Article number	211347
	EAN code	5011139211347
	Model	Freestanding fireplace
	View of the fire	1 sided
	Colour	White/Black
	Decoration / fuel bed	-
Product size	Measurements view of the fire (WxH)	56 x 40 cm (only if the engine is integrated)
	Outside dimensions WxHxD	100 x 88 x 35 cm
Features	Heat output	-
	Thermostat	-
	Remote control	-
	Manual controlling directly at the fireplace possible yes / no	-
	Light module	
	Sound module	-
	Colour effects settings	-
Power consumption	Heat setting 1 in W	-
	Heat setting 2 in W	-
	Flame only operation in W	-
	Max. consumption	-
Voltage	Voltage/Electrical frequency	-
Specifications	Product weight in kg	25
	Length of the cord	-
	Warranty	2 year

Cavalli

The Cavalli electric suite is a stylish and complete offering from Dimplex. A focal point for any space and any interior design, the suite incorporates the realistic flame effects available from the Engine Opti-myst® range, in a beautifully finished white surround. The (optional) mirrored back panel offers a stunning backdrop to the fire. The fire can operate via a remote control and can even be used independently of the fully concealed 2kW heater, meaning you can enjoy the classic feel of the fire all year round. (Note: engine not included)

USP's

- Stylish and modern-looking fire surround
- Beautiful white finish
- Engine excluded. Fits to Engine 56-600 with optional back panels, mirror or brick for a more realistic appeal



Required engine



**Engine 56-600 MB
(mirror black)**
210227
5011139210227

Article number: 204295 | EAN Code: 5011139204295 | Optimyst®

Unfortunately no line drawing available

		Cavalli
General specifications	Fire system	
	Article number	204295
	EAN code	5011139204295
	Model	Freestanding fireplace
	View of the fire	1 sided
	Colour	White
	Decoration / fuel bed	
Product size	Measurements view of the fire (WxH)	56 x 40 cm (only if the engine is integrated)
	Outside dimensions WxHxD	108,8 x 85,5 x 30,2 cm
Features	Heat output	
	Thermostat	
	Remote control	
	Manual controlling directly at the fireplace possible yes / no	-
	Light module	
	Sound module	-
	Colour effects settings	-
Power consumption	Heat setting 1 in W	-
	Heat setting 2 in W	-
	Flame only operation in W	-
	Max. consumption	-
Voltage	Voltage/Electrical frequency	-
Specifications	Product weight in kg	25
	Length of the cord	-
	Warranty	2 year

Fieldstone

Robust, sturdy and pure are words that apply to the Fieldstone, a large surround in explicit country style with natural stone and wood effects. This surround makes a luxury suite set with the Dimplex XHD Firebox 28" (not included), an electric fireplace with adjustable flame and color effect, to match your style and mood. The digital thermostat ensures that the temperature is pleasantly easy to control.

USP's

- Wood slab top features a hand carved look and overextends the mantel for a commanding centerpiece
- Sturdy, wood corbels contrast the natural stone-look finish
- Faux stone feels like the real thing and complements the rustic design cues for a cottage motif
- Simple, single step hearth base accompanies the overall design
- Excluding engine. This surround fits to the firebox XHD 28"



Required engine



28" Firebox - XHD28
211002
5011139211002

Article number: SSE-ST-9040 | EAN Code: 0781052056671 | Optimyst®

 **Dimplex**

Disclaimer
We have compiled this publication with the utmost care. The information in this publication can be shown inaccurately, may have been changed or supplemented. This publication can be changed. Glen Dimplex is not responsible for the action taken, decisions of results based solely on the information contained in this publication.

Unfortunately no line drawing available

	Fieldstone	
General specifications	Fire system	
	Article number	SSE-ST-9040
	EAN code	0781052056671
	Model	Surround
	View of the fire	1 sided
	Colour	Stone motif fireplace with wooden board
	Decoration / fuel bed	
Product size	Measurements view of the fire (WxH)	
	Outside dimensions WxHxD	139 x 100 x 33 cm
Features	Heat output	
	Thermostat	
	Remote control	
	Manual controlling directly at the fireplace possible yes / no	
	Light module	
	Sound module	
	Colour effects settings	
Power consumption	Heat setting 1 in W	
	Heat setting 2 in W	
	Flame only operation in W	
	Max. consumption	
Voltage	Voltage/Electrical frequency	
Specifications	Product weight in kg	60
	Length of the cord	
	Warranty	2 year

Let *Dimplex*
inspire you

ACCESSORIES

Accessories



Logset 500/1000

Fits on Cassette 500 and 1000

2 logsets are required for the Cassette 1000

Article number: 206350

EAN code: 5011139206350

Product size: 51 x 23 x 35,4 cm



Logset 500 L

Fits on Cassette 500

Article number: 206367

EAN code: 5011139206367

Product size: 72 x 23 x 35,4 cm

400L logbed

Fits on the Cassette 400/600 LED

Article number: 211583

EAN code: 5011139211583

Product size: 41 x 10 x 20 cm

600L logbed

Fits on the Cassette 400/600 LED

Article number: 211590

EAN code: 5011139211590

Product size: 61 x 10 x 20 cm



Front glass panel RBF30

Fits the Revillusion Firebox 30" - RBF30, Haydn, Sherwood und Strata

Article number: RBFGLOSS30

Product size: 90,4 x 74,2 x 10,6 cm



Front glass panel RBF36

Fits the Revillusion Firebox 36" - RBF36

Article number: RBFGLOSS36

Product size: 106,8 x 74,2 x 10,6 cm



Transducer standard

Article number: 06023133



Transducer Cassette 500/1000

Article number: 06023368



Mirror back panel Engine 68-400

Fits the Engine 68-400, Verdi and Vivaldi

Article number: 205421

EAN code: 5011139205421

Product size: 44 x 50,9 x 1 cm



Mirror back panel Engine 56-400

Fits the Engine 56-400, Cubic und Romero

Article number: 205414

EAN code: 5011139205414

Product size: 44 x 38,6 x 1 cm



Aluminium fuel bed 400

Fits on the Cassette 400 | Engine 56-400 |

Engine 68-400 | Verdi | Romero | Vivaldi | Cubic

Article number: 204202

EAN code: 5011139204202

Product size: 40 x 2,5 x 20 cm



Halogen lamp

4pack - Article number: 06023090

5pack - Article number: 06022999

Follow us



@dimplexfiresnl



@dimplexfires_nl

Let *Dimplex*
inspire you



 **Dimplex**

All advantages at a glance

No:

- Smoke or soot
- Dust emission
- Ash
- Dirt
- Need to chop firewood
- Need to store firewood
- Need to comply with environmental regulations
- Chimney sweeps

and:

- Numerous design solutions
- Numerous integration options
- With or without heating options
- More choice
- More climate-friendly
- No or very limited installation work
- Can be used almost anywhere
- Ready for immediate use
- Reduce environmental impact

Always:

- Clean
- Simple
- Safe


Follow us



@dimplexfiresnl



@dimplexfires_nl





Let *Dimplex* inspire you



Glen Dimplex
Consumer Appliances Europe
EU Flame
Saturnus 8
8448 CC Heerenveen

PO Box 219
NL-8440 AE Heerenveen

T. +31(0)513 656500
F. +31(0)513 656501
E. info@dimplex-fires.eu

Follow us



@dimplexfires_nl



@dimplexfiresnl

Dimplex

40998071 Dimplex Dealermanual EN